#### Name of Manufacturer: AKZO NOBEL COATINGS K.K. INTERNATIONAL PAINT DIV.

5F, Haubiru Nishi-Shimbashi, 2-35-2, Nishi-Shimbashi, Minato-ku TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

#### 3 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufactured in
01384 Intersmooth 7465HS SPC	BEA774-Brown,	Self Polishing Copolymer	1317-39-1	Cuprous oxide		2009/07/24 2025/02/17	Japan Others <b>⊻</b>
	BEA777-Red		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	)—	2023/02/17	Others 🗹
01858 Intersmooth 7475Si SPC	Brown (BEA844),	Self Polishing Copolymer	1317-39-1	Cuprous oxide		2024/08/23	Japan 🗌
	Red (BEA847)		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	)—	2027/08/23	Others 🗹
01482 Interspeed 6400	BQA644-Red,	Conventional	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2011/03/24	Japan 🗌
	BQA648-Brown		1317-39-1	Cuprous oxide		2027/06/21	Others 🗹

#### Name of Manufacturer: ALPHA PAINT INC.

4-5-2, Minami-Oi, Shinagawa-ku TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

1 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufact in	
01811 ECOMARINECOAT MUKI G- 2200D	Light grey	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethy pyrrole–3–carbonitrile	∕I)−1H−	2022/02/18 2025/02/17	Japan Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea				
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				

#### Name of Manufacturer: BASSERU CHEMICAL CO., LTD.

6-10-6, Hikoshima-Honmura-cho, Shimonoseki-shi, YAMAGUCHI

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

#### 5 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00433 HR AF	Red	Conventional type	1317-39-1	Cuprous oxide		2005/03/11 2025/10/20	Japan ⊻ Others □
00435 HR AF SC	Red	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2005/03/11 2025/10/20	Japan ⊻ Others □
00436 HR AF SP	Redbrown	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide		2005/03/11 2025/10/20	Japan ⊻ Others □
00440 SEASTORY MARINECHAN	Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,9	S)-	2005/03/11 2025/10/20	Japan ⊻ Others □
00441 SEASTORY SAM	Red, Blue, Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,9	S)-	2005/03/11 2025/10/20	Japan ⊻ Others □

Page 1/ BASSERU CHEMICAL CO., LTD.

#### Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

Tokyo Club Building, 3-2-6, Kasumigaseki, Chiyoda-ku, TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

79 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01523 APPARE	Blue H, Red H, Black	Self polishing type	1317-39-1	Cuprous oxide		2012/01/27	Japan 🗹
	H, Light Red H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato (	D,S)-	2026/06/15	Others
01211 CMP BIOCLEAN HB	Light Grey S, Red Brown S, Black S, Dark Blue S	Biocide-free silicon type	_	-		2007/05/28 2027/02/15	Japan ⊻ Others □
01746 CMP BIOCLEAN N	Light Grey	Biocide-free silicon type				2020/07/29 2026/06/15	Japan ⊻ Others □
01577 CMP BIOCLEAN PLUS	Black, Red Brown, Red Brown A	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato (	D,S)-	2014/02/14 2025/02/17	Japan ⊻ Others ⊻
01643 CMP BIOCLEAN PLUS	Red Brown S	Foul Relase Coatings	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2016/08/26	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato (	D,S)-	2025/04/17	Others <
01213 CMP BIOCLEAN R	Light Grey, Red Brown, Black, Off White, Ruby Red	Biocide-free silicon type	-	-		2007/05/28 2025/06/16	Japan ⊻ Others □
01678 CMP BIOCLEAN R PLUS	Red Brown, Plum	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato (	D,S)-	2017/11/02 2026/08/17	Japan ⊻ Others ⊻
01484 CMP BIOCLEAN RS	Black	Biocide-free silicon type	_	-		2011/02/04 2025/06/16	Japan ⊻ Others □
01365 MARINE STAR 30G	Green I, Blue I, Red	Self polishing type	1317-39-1	Cuprous oxide		2009/04/03	Japan 🗹
	Brown I, Silver White I, Red I, Green V,		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2027/02/15	Others
	Red V, Blue V, Silver White V		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01597 MARINE STAR A	White I, Blue I, Red	Self polishing type	1111-67-7	Cuprous Thiocyanate		2015/02/20	Japan 🗹
	Brown I, Green I, Red I, Black I		13463-41-7	Zinc-2-pyridinethiol-1-oxide		2026/10/26	Others
	INCU I, DIAUN I		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	s of: Registration Expiry	Manufactured in
01519 NEW KAIO	Red H, Light Red H,	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27 2026/06/15	
	Blue H, Black H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		-
01522 NEW KAIO 200	Light Red, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27 2026/10/26	· · ·
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/10/20	0 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01671 NEW KAIO 300	Red, Blue, Black	Self polishing type	1317-39-1	Cuprous oxide	2017/06/16	· · ·
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	o Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
00277 NEW KAMOME	Blue, Red	Conventional type	1317-39-1	Cuprous oxide	2004/05/21	
				·	2025/08/18	B Others
01592 NEW MARINE GOLD	White III, Blue III,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2014/10/29	) Japan 🗹
	Red Brown III, Green III, Red III, Black III		13463-41-7	Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01564 NEW MARINE GOLD DX ALPHA	Red, Blue, Black	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H	2013/08/22	
				pyrrole-3-carbonitrile	2025/08/18	B Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
00288 NEW MARINE GOLD DX CLEAR	Clear	Self polishing type	-	_	2004/05/21	
					2027/06/21	Others
01769 NEW MARINE GOLD DX PLUS	White, Blue, Green,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2021/03/04	
	Red, Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/02/15	o Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01696 NEW PELLER CLEAN PLUS	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16	
FINISH					2026/10/26	Others
01725 NEW PELLER CLEAN PLUS	Yellow	Biocide-free silicon type			2019/04/19	
FINISH R					2025/02/17	Others

Page 2/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	vpe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01620 SCREW AF COASTAL	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/08/21 2027/06/21	Japan 🗹
00206 SEA GRANDPRIX 1000	Red, Light Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/06/21 2026/06/15	
01463 SEA GRANDPRIX 1000 L	Light Brown, Brown, Blue, Brown K, Light Brown K Brown H, Light Brown H, Blue H	Self polishing type	1317–39–1 14915–37–8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2010/06/04 2025/02/17	
01255 SEA GRANDPRIX 200 R	Red, Light Red, Ogi Colour	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/01/30 2027/06/21	
01616 SEA GRANDPRIX 2000 A	Light Red, Red, Purple, Blue, Black (1st coat), Black (2nd coat), Light Red N, Red N, Red K, Light Red K, Blue K, Red H, Light Red H, Blue H, Light Brown H, Light Brown R, Red R	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/06/19 2025/02/17	
01254 SEA GRANDPRIX 2000 S	Light Red, Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/01/30 2025/04/17	
01432 SEA GRANDPRIX 220 HS	Brown S, Light Brown S, Black S	Self polishing type	1317-39-1	Cuprous oxide	2009/11/20 2025/10/20	
01784 SEA GRANDPRIX 2200	Light Brown, Red, Blue, Black	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/04/21 2026/04/20	
01320 SEA GRANDPRIX 500 HS	Red, Light Red, Purple, Red N, Light Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/27 2027/08/23	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2024/10/18

Page 3/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufacture in
01321 SEA GRANDPRIX 500 M HS	Red, Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2008/11/27	Japan 🗸
	K, Light Red K, Light Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	_	2025/08/18	Others 🗹
01329 SEA GRANDPRIX 660 HS	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide		2009/01/20	Japan 🗸
	Brown S, Light Brown S, Brown R, Light Brown R, Black S		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others 🗹
01702 SEA GRANDPRIX 770 HS	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan 🗸
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01745 SEA GRANDPRIX 800 EX	Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2020/07/29	Japan 🗸
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2027/06/21	Others
01625 SEA GRANDPRIX 880 HS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2015/12/18	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/08/18	Others 🗹
01759 SEA GRANDPRIX 880 HS PLUS		Self polishing type	1317-39-1	Cuprous oxide		2021/03/04	Japan 🗹
	Brown A, Light Brown A		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01699 SEA GRANDPRIX 900 L	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01698 SEA GRANDPRIX 950 L	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2027/06/21	Others 🗹
01763 SEA GRANDPRIX CF-10 A	Blue N, Red N	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2025/08/18	Others 🗹
01764 SEA GRANDPRIX CF-10 L A	Light Red N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	_	2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2025/08/18	Others 🗹
01768 SEA GRANDPRIX FBX PLUS	White II	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2021/03/04	Japan 🗸
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
00291 SEA GRANDPRIX FRP	Light Red H	Self polishing type	1317-39-1	Cuprous oxide		2004/05/21	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2027/06/21	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufacture in
01552 S	EA PREMIER 1000	Red, Light Red, Blue	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2013/06/18 2025/04/17	Japan ⊻ Others ⊻
				13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01762 S	EA PREMIER 1000 PLUS	Red N, Purple N,	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/03/04	Japan 🗹
		Blue N, Green		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2027/02/15	Others
01761 S	EA PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2021/03/04	Japan 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2027/02/15	Others
01833 S	EA PREMIER 1000 PLUS Z	Red, Light Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2023/02/17	Japan 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2026/02/16	Others
01722 S	EA PREMIER 200	Red R, Light Red R	Self polilshing type	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01861 S	EA PREMIER 200 PLUS	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2024/08/23	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01785 S	EA PREMIER 2000 PLUS	Brown, Red, Red R,	R, Self polishing type	1317-39-1	Cuprous oxide	2021/04/21	Japan 🗹
		Brown R		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01796 S	EA PREMIER 3000	Red, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2021/10/15	Japan 🗹
		Black, Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others
01772 S	EA PREMIER 3000 PLUS 1	Light Brown, Red,	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
		Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01773 S	EA PREMIER 3000 PLUS 2	Light Brown, Red,	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
		Black		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

## Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufacture in
01617 SEA PREMIER 800 Z	Light Red, Red,	Self polishing type	1317-39-1	Cuprous oxide	2015/06/19	Japan 🗹
	Purple, Blue, Light Red N, Red N, Red H, Light Red H, Blue H, Light Brown H, Light Brown R, Red F	ł	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01462 SEA PREMIER 850	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2010/06/04	Japan 🗸
UT402 SEAT REWIER 050	Red, Light Red	Sen ponsning type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
01674 SEA PREMIER CF Z	Light Red, Red	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2017/08/25 2026/06/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01591 SEAFLO NEO 500 Z	Red, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2014/08/22	Japan 🗹
	Brown, Light Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others 🗹
01766 SEAFLO NEO CF PREMIUM	Light Red, Red, Light Red S, Red S, Light Red R, Red R	Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2025/08/18	Japan ⊻ Others ⊻
01788 SEAFLO NEO CF PREMIUM EX	Light Red R, Red R	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2021/07/06 2025/08/18	Japan ⊻ Others ⊻
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01626 SEAFLO NEO CF Z	Red, Light Red	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/12/18 2027/08/23	Japan 🗹 Others 🗹
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01822 SEAFLO NEO CF Z	Light Red A, Red A	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/06/17 2025/06/16	Japan ⊻ Others ⊻
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01830 SEAFLO NEO CF Z SUPER	Red A	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/12/13 2025/12/12	Japan ⊻ Others □
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Page 6/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	of: Registration Expiry	Manufactui in	red
01776 SEAFLO NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🕨	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2025/08/18	Others	✓
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01812 SEAFLO NEO SL M	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide	2022/02/18		✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others 🕨	✓
01579 SEAFLO NEO SL Z	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14		✓
	Brown K, Light Brown K, Brown H, Light		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others 🕨	
	Brown H, Blue						
01770 SEAFLO NEO SL Z PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04		✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others	∕
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01827 SEAFLO NEO SNF-S	Brown H, Light	Self polishing type	1317-39-1	Cuprous oxide	2022/10/21		✓
	Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/10/20	Others	
01629 SEAFLO NEO Z	Red N2, Light Red N2	Self polishing type	1317-39-1	Cuprous oxide	2016/02/18		<ul> <li>Image: A transmission of the second se</li></ul>
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others	✓
01760 SEAFLO NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🛽	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others •	✓
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01771 SEAFLO NEO-S PREMIUM	Brown D	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04		✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others 🕨	⊻_
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01580 SEAFLO NEO-S Z	Red, Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14		
	N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	⊻
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Page 7/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufactur in
01360 SEAJET 033	Shark White I, Blue I,	Self polishing type	1317-39-1	Cuprous oxide		2009/04/03	Japan 🗸
	Red I, Black I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2026/10/26	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01789 SEAJET 033 PREMIUM	Blue I, Black I, Shark	Self polishing type	1317-39-1	Cuprous oxide		2021/07/06	Japan ⊻
	White I, Red I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/04/17	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01775 SEAJET 037	Pure White, Pure	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 💆
	Black, Pure Red, Pure Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01585 SEAJET 039	Ash Black H, Ash	Self polishing type	1317-39-1	Cuprous oxide		2014/04/11	Japan ⊻
	Blue H, Ash Grey H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2026/06/15	Others
01586 SEAJET 039	Ash Grey	Self polishing type	1317-39-1	Cuprous oxide		2014/04/11	Japan ⊻
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2025/10/20	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01487 SEATENDER 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/03/24	Japan 💆
	Black, Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/12/12	Others
01486 SEATENDER 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2011/03/24	Japan 💆
						2025/12/12	Others <
01813 TFA-10A	Red, Light Red, Black	Self polishing type	1317-39-1	Cuprous oxide		2022/02/18	Japan 🗸
						2025/02/17	Others ⊻
01578 TFA-30	Silver white, Black,	Self polishing type	1317-39-1	Cuprous oxide		2014/02/14	Japan ⊻
	Red, Blue		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/08/18	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
00263 VINYL AF	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2004/05/21	Japan 🗸
						2027/08/23	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

This list was updated as of 2024/10/18

#### Name of Manufacturer: HEMPEL A/S

Lundtoftevej 150, DK-2800 KGS.Lyngby, Denmark

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

28 products registered as of 2024/10/18

Reg.No	. Name of anti-fouling system	Colour(s) Ty	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufac in	
01851	Hempablue 87750	19990, 59161	Biocide free, fouling release type	_	-	2024/02/16 2027/02/15	Japan Others	
01581	Hempaguard X5 89700	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2026/02/16	Japan Others	✓
01582	Hempaguard X7 89900	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2026/02/16	Japan Others	✓
01736	Hempaguard X8 89940	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/02/21 2026/02/16	Japan Others	
01627	Hempasil X3+ 87500	15150, 19990, 30170, 47560, 59151	Biocide free, fouling release type	_	-	2016/04/22 2024/12/02	Japan Others	✓
	Hempel's Antifouling Dynamic 9000 79900	51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2024/12/02	Japan Others	<ul> <li>✓</li> </ul>
	Hempel's Antifouling Dynamic 9000 79950	51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/02/15	Japan Others	
	Hempel's Antifouling Globic 6000 75952	19990, 51110, 60600	Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2027/02/15	Japan Others	
	HEMPEL'S ANTIFOULING GLOBIC 6000, 75950	19990, 51110, 60600	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/02/15 2024/12/02	Japan Others	✓
	Hempel's Antifouling Globic 7000 78350	19990, 51110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1 14915-37-8	Zinc ethylenebis (dithiocarbamate) Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/02/21 2027/02/15	Japan Others	✓
	HEMPEL'S ANTIFOULING GLOBIC 8000 78550	19990, 51110, 60600	Hydrolysing SPC	12122-67-7 1317-39-1 14915-37-8	Zinc ethylenebis (dithiocarbamate) Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/02/20 2024/12/02	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Page 1/ HEMPEL A/S

Name of Manufacturer: HEMPEL A/S

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Na	ame of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	es of: <u> </u>	Registration Expiry	Manufac in	
	pel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide		2018/02/16	Japan	
9000	0 78902	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2027/02/15	Others	$\checkmark$
	pel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide		2018/02/16	Japan	
9000	0 78952	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2027/02/15	Others	$\checkmark$
	IPEL'S ANTIFOULING	19990, 30170,	Self polishing type	1317-39-1	Cuprous oxide		2013/02/15	Japan	
GLO	DBIC 9000, 78900	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2024/12/02	Others	$\checkmark$
	IPEL'S ANTIFOULING	19990, 19994,30170,	Self polishing type	1317-39-1	Cuprous oxide		2013/02/15	Japan	
GLO	DBIC 9000, 78950	51110, 51114, 60600, 60604		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2026/02/16	Others	$\checkmark$
		00000, 00004							
	MPEL'S ANTIFOULING	19990, 30170,	Hydrolyzing NAT	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2017/06/16 2026/02/16	Japan Others	
GLUI	DBIC 9500 M 78954	51110, 60600		1317-39-1	Cuprous oxide	2	2020/02/10	Others	<b>v</b>
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-				
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01682 Hem	pel's Antifouling Globic	19990, 51110, 60600	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2018/02/16	Japan	
9500	ON 7895N			1317-39-1	Cuprous oxide	2	2024/12/02	Others	$\checkmark$
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-				
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01757 Hem	pels' Antifouling Globic	19990, 51110, 60600	Hydrolysing NAT	1317-39-1	Cuprous oxide	2	2021/03/04	Japan	
	DS 7895S		, , ,	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2027/02/15	Others	$\checkmark$
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01755 Hem	pel's Antifouling Oceanic	19990, 30170,	Hydrolysing SPC type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2	2021/03/04	Japan	
	+ 7390W	42650, 551110,		1317-39-1	Cuprous oxide	2	2024/12/02	Others	$\checkmark$
		60600				]			
	pel's Antifouling Oceanic	19990, 30170,	Hydrolysing SPC type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2021/03/04	Japan	
Prote	ect+ 7395W	51110, 60600		1317-39-1	Cuprous oxide	2	2024/12/02	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: HEMPEL A/S

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

					5	,		
Reg.No	o. Name of anti-fouling system	Colour(s) Ty	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01710	Hempel's Antifouling Oceanic+ 73902	19990, 30170, 42650, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2024/12/02	Japan □ Others ☑
01711	Hempel's Antifouling Oceanic+ 73952	19990, 30170, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2024/12/02	Japan Others ☑
01753	Hempels' Antifouling Olympic Flex+ 7290W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2024/12/02	Japan Others ☑
01752	Hempel's Antifouling Olympic Protect 7195W	51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/02/15	Japan □ Others ☑
01754	Hempel's Antifouling Olympic Protect+ 7295W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2024/12/02	Japan □ Others ☑
01543	HEMPEL'S ANTIFOULING OLYMPIC+, 72900	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2024/12/02	Japan Others ☑
01544	HEMPEL'S ANTIFOULING OLYMPIC+, 72950	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2024/12/02	Japan Others ☑
01834	Hempel's Antifouling Sonic 79970	19990, 30170, 51110, 60600	Hydrolysing SA type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	S)-	2023/02/17 2027/02/15	Japan □ Others ☑

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

#### Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

4-18-31, Kashima, Yodogawa-ku, Osaka-shi, OSAKA

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

16 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	vpe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
00337 CLEANCOAT	Reddish Brown, Red,	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
	Blue	type	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2025/04/17	Others
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		
00338 CLEANCOAT	White	Self-polishing hydration	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2004/10/26	Japan 🗹
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others
00340 CLEANCOAT A/F HP	Red, Blue, Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others
00339 CLEANCOAT SUPER A/F	Light Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00342 NEWSEARON	Red, Blue, Green,	Self-polishing hydrolysys	13108-52-6	2,3,5,6-Tetrachloro-4-(methylsulphonyl)pyridine	2005/02/17	Japan 🗹
	Black	type	1317-39-1	Cuprous oxide	2025/04/17	Others
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
00344 NEWSEARON 1000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00345 NEWSEARON 2000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00346 NEWSEARON 2000A A/F	Brown, Dark Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00347 NEWSEARON 3000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00343 NEWSEARON F	Red	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00349 NEWSEARON SEACHEST A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2024/10/18

Page 1/ ISHIKAWA PAINT CO., LTD.

Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00355 POISON	Reddish brown	Self-polishing type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00356 RABACOAT A/F C	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00353 VINIHARD A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00354 VINIHARD A/F #1000	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00352 VINYCRON A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □

Page 2/ ISHIKAWA PAINT CO., LTD.

#### Name of Manufacturer: KANAE PAINT CO., LTD.

1-6-13, Hanaten-Higashi, Tsurumi-ku, Osaka-shi, OSAKA

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

12 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
00062 CLEAN TOP DELUXE	Clear	Biocide-free silicon type	_	-	2004/03/18 2025/02/17	Japan ⊻ Others □
01859 KANAE PORT A/F #5000 TA-11	Red, AutumnRed, Brown, Blue, Black	Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/08/23 2027/08/23	Japan ⊻ Others □
01574 KANAE PORT A/F #5000msKAI	Red N, Brown N	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2014/02/14 2026/02/16	Japan ⊻ Others □
01573 KANAE PORT A/F #7000B KAI	Red N, Brown N, 808Blue N	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2014/02/14 2026/02/16	Japan ⊻ Others □
00005 KANAE PORT A/F CLEAN #1000	Brown	Ablative type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2004/03/18 2025/02/17	Japan ⊻ Others □
01748 KANAE PORT A/F CLEAN #2000 HD	Redbrown N	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29 2026/06/15	Japan ⊻ Others □
01749 KANAE PORT A/F CLEAN #4000	Redbrown N	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29 2026/06/15	Japan ⊻ Others □
01750 KANAE PORT A/F CLEAN #5000 M	White N	Self polishing type	64359-81-5 971-66-4	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one Pyridine-triphenylborane	2020/07/29 2026/06/15	Japan ⊻ Others □
00014 KANAE PORT A/F CLEAN #5000 N-10	Red,Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/03/18 2025/02/17	Japan ⊻ Others □
00003 KR-A/F N	Brown, D Brown	Conventional type	1317-39-1	Cuprous oxide	2004/03/18 2027/08/23	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2024/10/18

Page 1/ KANAE PAINT CO., LTD.

Name of Manufacturer: KANAE PAINT CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dat	tes of: <sup></sup>	Registration Expiry	Manufactured in
00002 KR-A/F NB BROWN	Brown	Ablative type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2004/03/18 2025/02/17	Japan ⊻ Others
01860 RE;OCEAN ZERO	Red, AutumnRed, Brown, 808Blue	Self-polishing type	1317-39-1 14915-37-8 330-54-1	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2024/08/23 2027/08/23	Japan ⊻ Others □

Page 2/ KANAE PAINT CO., LTD.

## Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

3-12-1, Minamirokugo, Ota-ku, TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

87 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
00121 AF FOR SEA CHEST	Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01424 AF MX-2080	Light Brown, Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2009/07/24 2027/06/21	Japan 🗹 Others 🗌
01719 AF MX-2120N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01720 AF MX-2121N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01795 AF MX-2148N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
01843 AF MX-2150N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2023/12/15	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others
01824 AF MX-2162N	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/08/19 2025/08/18	Japan 🗌 Others 🗌
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01835 AF MX-2261N	Light Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2023/04/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others
01836 AF MX-2262N	Light Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2023/04/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01314 CLEAR EXION	Clear	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/12/15 2026/10/26	Japan ⊻ Others □
00123 C-RUBAN A/F	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2025/02/17	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2024/10/18

Page 1/ KANSAI PAINT MARINE CO., LTD.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
-	C-RUBAN A/F for SUBMARINE	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2025/02/17	Japan 🗹
00126 C	-RUBAN A/F HP	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2025/02/17	
00129 C	-RUBAN B/T for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2025/02/17	Japan ⊻ Others
00157 N	IEWPLADOL for SUBMARINE	Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/03/18 2025/02/17	
01279 N	IKM SEAFORCE30	Dark Red, Light Red	Self polishing hydration type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide	2008/05/28 2025/12/12	
01847 S	EA MX-2000BT	White	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2024/02/16 2027/02/15	
01107 S	EAFORCE 30	Light Red, Dark Red	Self polishing hydration type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide	2006/04/25 2027/06/21	Japan ⊻ Others □
01108 S	EAFORCE 60	Light Red, Dark Red	Self polishing hydration type	12122-67-7 1317-39-1 14915-37-8	Zinc ethylenebis (dithiocarbamate) Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2006/04/25 2027/06/21	•
01109 S	EAFORCE 90	Light Red, Dark Red, Blue, Black, Green	Self polishing hydration type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2006/04/25 2027/06/21	· · _
00117 S	EAQUEEN	Light Red, Dark Red	Self polishing hydration type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/03/18 2025/02/17	Japan ⊻ Others □
01306 S	HIN LLL No.100	Brown, Red, Dark Brown, Light Brown, Chocolat, Rouille, Blue, Brown K	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/12/15 2025/12/12	
	HIN LLL No.100 for HIGH PEED VESSEL	Brown, Red, Dark Brown, Light Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/12/15 2026/10/26	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	vpe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactu in	irea
01307 S	HIN LLL No.300	Light Brown, Red	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan	
			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	
01728 S	HIN LLL PB2	Light Brown, Dark	Self polishing hydrolysis	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2019/10/18		
		Brown	type	1317-39-1	Cuprous oxide	2025/08/18	Others	
				14915-37-8	Copper, $bis(1,hydroxy-2(1H)-pyridinethionato O,S)-$			
01832 T	AKARABUNE Type2	Red, Blue, Black,	Self polishing hydrolysis	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2023/02/17	Japan	
		White, Green	type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2026/02/16	Others	
01311 T	AKATA A/F for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2008/12/15		✓
						2026/10/26	Others	
01297 T	AKATA QUANTUM	MOL Green,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15		✓
		Luminous Blue, Blue	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	
01299 T	AKATA QUANTUM 16 FOR	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15		✓
C	COASTAL VESSEL	Brown, Light Brown, Brown S, Dark Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	
		S						
01298 T	AKATA QUANTUM 20 FOR	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15		✓
C	COASTAL VESSEL	Brown, Light Brown, Brown S, Dark Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others	
		S						
00401 T	AKATA QUANTUM CLASSIC	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22		<b>~</b>
		Brown, Dark Red,	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others	
		Light Red, Blue						
	AKATA QUANTUM CLASSIC	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/08/24 2027/06/21	Japan Difference	
(	R)	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others	
01828 T	AKATA QUANTUM EV	Brown	Self polishing hydrolysis t	1317-39-1	Cuprous oxide	2022/12/13		
			уре	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others	
00403 T	AKATA QUANTUM FB	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22		<b>\</b>
		Brown, Light Red, Dark Red	type			2025/12/12	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2024/10/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01716	TAKATA QUANTUM FB	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
		Brown N, Light Brown L, Dark Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
		L					
01729	TAKATA QUANTUM FB(M)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/10/18	Japan 🗹
		Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others
01427	TAKATA QUANTUM FB(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2009/07/24	Japan 🗹
		Brown, Light Red, Dark Red	type			2025/12/12	Others
01717	TAKATA QUANTUM FB(R)	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
		Brown N, Light	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
		Brown L, Dark Brown L					
01709	)1709 TAKATA QUANTUM FOCUS I	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2018/12/07	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
00146	TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🖌
	COASTAL VESSEL	Brown, Light Brown,	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
		Blue, Green, Brown S, Dark Brown S					
01300	TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗹
(	COASTAL VESSEL SEAKING II	Brown, Light Brown, Brown S, Dark Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
		S					
	TAKATA QUANTUM for	Brown, Dark Brown,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/02/24	Japan 🗹
(		Red, Black, Brown S, Dark Brown S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
00145	TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
F	FISHING VESSEL	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	E Registration Expiry	Manufactured in
01855 T	AKATA QUANTUM G1000	Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01856 T	AKATA QUANTUM G2000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01857 T	AKATA QUANTUM G3000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01814 T	AKATA QUANTUM GX-2190N	Brown, Dark Brown	Self polishing type	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01815 T	AKATA QUANTUM GX-2200N	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01816 T	AKATA QUANTUM GX-2233N	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
			type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
00385 T	AKATA QUANTUM LLL	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
		Brown, Brown, Dark	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01315 T	AKATA QUANTUM LLL FB	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗹
		Brown, Light Red, Dark Red, Brown, Light	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01817 T	AKATA QUANTUM MX-2120N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan ⊻
		Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01818 TAKATA QUANTUM MX-2145N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
01786 TAKATA QUANTUM MX-2148N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2021/07/06	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
00143 TAKATA QUANTUM ND	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01819 TAKATA QUANTUM ND	Brown G	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01821 TAKATA QUANTUM ND	Light Brown K	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/06/17	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/06/16	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
00402 TAKATA QUANTUM PLUS	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Blue, Red, Light Red, Dark Red	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01426 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2009/07/24	Japan 🗸
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
01862 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/10/18	Japan 🗸
ADVANCE	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/10/18	
01705 TAKATA QUANTUM R5000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/10/26	Japan 🗸
	Diown, Dark Diown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
01706 TAKATA QUANTUM R8000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/10/26	Japan 🗸
	Diown, Dark Diown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
00400 TAKATA QUANTUM ULTRA	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗸
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	
01669 TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 🖌
	DIICK, WAIOUII	type	1317-39-1	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	•

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01670 TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 🗹
FB		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
01491 TAKATA QUANTUM X-mile 001	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01492 TAKATA QUANTUM X-mile 002	Brick, Maroon, Blue	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01493 TAKATA QUANTUM X-mile 003	Brick, Maroon, Brick	1 3 3 3	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
	R. Maroon R	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others 🗆
01494 TAKATA QUANTUM X-mile 005	Brick, Maroon, Brick		1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
	S, Maroon S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
01495 TAKATA QUANTUM X-mile 006	Brick, Maroon, Blue,		1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
	Brick S, Maroon S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
01496 TAKATA QUANTUM X-mile 007	Brick, Maroon, Brick	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2011/06/03	Japan 🗹
	S, Maroon S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others 🗆
01708 TAKATA QUANTUM X-mile EV	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/12/07	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others 🗆
01666 TAKATA QUANTUM X-mile FB	Brick, Maroon, Brick		1317-39-1	Cuprous oxide	2017/06/16	Japan 🗹
	R, Maroon R	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others 🗆
01806 TAKATA QUANTUM X-mile MX	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
2046N		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others 🗆
01665 TAKATA QUANTUM X-mile ND	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/06/16	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others 🗆
01714 X-mile EV	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01715 X-mile EV FB	Brick, Maroon	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	s of: Regist Exp		Manufacture in
01630 X-mile Premium 101	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0	04/22	Japan ⊻ Others
01631 X-mile Premium 102	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0		Japan Others
01632 X-mile Premium 103	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0		Japan Others
01633 X-mile Premium 105	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0		Japan Others
01634 X-mile Premium 106	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0		Japan Others
01635 X-mile Premium 107	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0		Japan Others
01636 X-mile Premium 108	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/0 2025/0		Japan Others
01707 X-mile Premium FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/ 2027/0		Japan Others
01804 X-mile Premium ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/ <sup>-</sup> 2027/0		Japan Others
01805 X-mile Premium ND	Brick K, Maroon K	Self polishing hydrolysis type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/ 2027/0		Japan ⊻ Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

#### Name of Manufacturer: KOBE PAINTS, LTD.

Aza Hyakuchobu, Rokubuichi, Inami-cho Kako-gun, HYOGO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

39 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01778 AGESHIO	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01777 AQUA ACE 3000 PLUS	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01331 CLEAN A/F 1000	Brown, Red	Conventional type	1317-39-1	Cuprous oxide		2009/04/03	Japan 🗹
						2027/06/21	Others
01503 KP ACE A/F ST 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/10/14	Japan 🗹
	Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/04/17	Others
01809 KP ACE A/F ST 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2021/12/03	Japan 🗹
						2024/12/02	Others
01332 NEW PLACOAT	Red, Blue, Brown	Conventional type	1317-39-1	Cuprous oxide		2009/04/03	Japan 🗹
						2027/06/21	Others
01569 OCEAN PREMIER 1000	Light Red, Red, Blue	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethy	I)-1H-	2013/08/22	Japan ⊻ Others
			13463-41-7	pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide		2025/08/18	Others
			13403-41-7				
01780 OCEAN PREMIER 1000 PLUS	Purple N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O	,S)-	2021/03/04 2027/02/15	Japan ⊻ Others □
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/13	<u>'</u>
01781 OCEAN PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
01779 OCEAN PREMIER 200 PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/03/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O	,S)-	2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2024/10/18

Page 1/ KOBE PAINTS, LTD.

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	es of:  -	Registration Expiry	Manufac in	
01790 0	OCEAN PREMIER 3000	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/08/20	Japan	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2027/08/23	Others	
01783 (	OCEAN PREMIER 3000 PLUS	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/03/04	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2027/02/15	Others	
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01791 (	OCEAN PREMIER 3000 PLUS 1	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/08/20	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	:	2027/08/23	Others	
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01792 (	OCEAN PREMIER 3000 PLUS 2	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/08/20	Japan	✓
		-		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	:	2027/08/23	Others	
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01637 (	OCEAN PREMIER 800 Z	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide		2016/04/22	Japan	✓
		Red, Light Red N,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2025/08/18	Others	
		Red N, Blue, Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red F	٦						
01649 0	OCEAN-DYNA NEO	Light Red N2, Red N	2 Self polishing type	1317-39-1	Cuprous oxide		2016/12/07	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2025/12/12	Others	
01621 (	OCEAN-DYNA NEO 500 Z	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2015/08/21	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2027/08/23	Others	
01647 (	OCEAN-DYNA NEO CF Z	Light Red, Red	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H pyrrole–3–carbonitrile		2016/08/26 2025/08/18	Japan Others	
				13463-41-7	Zinc-2-pyridinethiol-1-oxide				
01601 0	OCEAN-DYNA NEO FLAT Z	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2015/02/20	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	:	2027/02/15	Others	

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dat	es of: -	Registration Expiry	Manufactured in
01808 OCEAN-DYNA NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2	2024/12/02	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01539 OCEAN-DYNA NEO SL	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2012/12/10	Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2026/06/15	Others
01599 OCEAN-DYNA NEO SL Z	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2015/02/20	Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2026/06/15	Others
01650 OCEAN-DYNA NEO Z	Light Red N2, Red N2	Self polishing type	1317-39-1	Cuprous oxide		2016/12/07	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2025/12/12	Others
01807 OCEAN-DYNA NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/12/03	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2024/12/02	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01566 OCEAN-DYNA NEO-S	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2013/08/22	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	S)- 2025/08/18	2025/08/18	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01602 OCEAN-DYNA NEO-S Z	Light Red, Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2015/02/20	Japan 🗹
	N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2	2027/02/15	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01461 OYASHIO	Red	Self polishing type	1317-39-1	Cuprous oxide		2010/06/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2025/04/17	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01459 SOKOPEN	Red, Blue	Self polishing type	1317-39-1	Cuprous oxide		2010/06/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2025/04/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registratio Expiry	n Manufactured in
01490 SUPER A/F 1000L	Light Brown, Brown, Dark Brown, Light Brown H, Brown H	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/0 2026/06/1	3 Japan 🗹
01337 SUPER A/F 200 R	Red, Light Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2009/04/0 2027/06/2	•
01638 SUPER A/F 2000 A	Purple, Light Red, Red, Light Red N, Red N, Blue, Black (1st coat), Black (2nd coat), Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red R	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/2 2025/08/1	
01340 SUPER A/F 2000 S	Red, Light Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2009/04/0 2027/06/2	
01793 SUPER A/F 2200	Light Brown, Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/08/2 2027/08/2	· ·
01452 SUPER A/F 500 HS	Purple, Light Red, Red, Light Red N, Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2010/08/0 2026/10/2	
01453 SUPER A/F 500 M HS	Light Red, Red, Light Red N, Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2010/08/0 2026/10/2	
01439 SUPER A/F 660 HS	Brown, Light Brown, Brown S, Light Brown S, Brown R, Light Brown R	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2009/11/2 2025/08/1	· ·
01721 SUPER A/F 880 HS	Light Brown, Brown	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2019/04/1 2025/04/1	•

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01823 SUPER A/F 950 L	Light Brown, Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato C	),S)-	2022/08/19 2025/08/18	Japan ⊻ Others □
01810 SUPER A/F CF-10 L A	Light Red N, Red N	Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato C 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	),S)-	2021/12/03 2024/12/02	Japan ⊻ Others □

## Name of Manufacturer: NIPPON PAINT (COATINGS) PHILIPPINES, INC.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

#4 Hologram St, Light Industry Science Park, Cabuyao, Laguna, Philippines

#### 2 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01839 BIOFLEX 800	RED BROWN (PH) D	Controlled Depletion Polymer Type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2023/12/15 2026/12/14	Japan □ Others ☑
01840 ECOLOFLEX SPC200	LIGHT BROWN (PH) K, DARK BROWN (PH) K	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	S)-	2023/12/15 2026/12/14	Japan

This list was updated as of 2024/10/18

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

2-1-2 Oyodo-kita, Kita-ku, Osaka-shi, OSAKA

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

66 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Гуре of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01605 A-LF-Sea 100 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01820 A-LF-Sea 100 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2022/04/18 2025/04/17	Japan ⊻ Others □
01532 A-LF-Sea 150	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK, Deep Red, Purple	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2025/10/20	Japan ⊻ Others ⊻
01533 A-LF-Sea 250	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2025/10/20	Japan ⊻ Others ⊻
01606 A-LF-Sea 300 HS	Blue R, Brown R, Light Brown R,	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2025/10/20	Japan ⊻ Others □
	Brown E, Light Brow E, Red IM, Maroon Z		13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01731 A-LF-Sea 300 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2019/12/17 2026/06/15	Japan ⊻ Others □
01553 A-LF-Sea 400	Brown, Red Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/04/12 2027/10/18	Japan ⊻ Others ⊻
01534 A-LF-Sea 600	Brown, Red Brown, Light Brown, Blue, Brown E, Light Brow E, Brown EK, Light Brown EK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2027/06/21	Japan ⊻ Others ⊻

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

\*Product name case is typed as on the application form.

This list was updated as of 2024/10/18

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) D	ates of:	Registration Expiry	Manufa ir	
01648 A	-LF-Sea 600	Cocoa Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide		2016/10/14	Japan	
		Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	)—	2027/02/15	Others	$\checkmark$
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01797 A	-LF-Sea 600 Premium	Brown 1, Brown 2,	Self polishing type	1317-39-1	Cuprous oxide		2021/10/15	Japan	
		Brown 3, Light Brown 1, Light Brown 2,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	)—	2026/12/14	Others	
		Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3							
01852 A	-LF-Sea 600 Premium L	Brown1, Dark Brown1	Self polishing type	1317-39-1	Cuprous oxide		2024/08/23	Japan	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	)—	2027/08/23	Others	
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01653 A	QUATERRAS 1000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
		Blue	polishing type				2026/06/15	Others	
01837 A	QUATERRAS 1000 PLUS	Brown, Light Brown	Biocide-free self	_	-		2023/06/16	Japan	
			polishing type				2026/06/15	Others	
01654 A	QUATERRAS 2000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
		Blue, Black	polishing type				2027/06/21	Others	
01848 A	QUATERRAS 3100	Brown, Light Brown	Biocide-free self	-	-		2024/02/16	Japan	
			polishing type				2027/02/15	Others	
01655 A	QUATERRAS 6000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
		Blue, Black	polishing type				2027/10/18	Others	
01656 A	QUATERRAS 8000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
		Blue, Black	polishing type				2027/06/21	Others	
01466 B	IOFLEX 800	Brown C, Dark Brown	Controlled depletion	1317-39-1	Cuprous oxide		2010/08/06	Japan	
		C, Red Brown C, Red Brown D, Dark Brown	polymer type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/10/20	Others	$\checkmark$
		D, Brown D							

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01568 BIOFLEX A/F	Red Oxide	Conventional type	1317-39-1	Cuprous oxide	2013/08/22 2027/02/15	Japan ⊻ Others □
00252 BIOFLEX TECHNO	Red Brown	Ablative type	1317-39-1 13463-41-7 330-54-1	Cuprous oxide Zinc-2-pyridinethiol-1-oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2004/03/18 2025/10/20	Japan ⊻ Others □
01676 DRAFT A/F Super	White, Black	Self polishing type	122454-29-9 13463-41-7	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile Zinc–2–pyridinethiol–1–oxide	2017/08/25 2027/02/15	Japan ⊻ Others □
01325 ECOLOFLEX SPC 100FWR	Red Brown, Dark Brown, Brown C, Light Brown C	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/27 2025/10/20	Japan ⊻ Others ⊻
01249 ECOLOFLEX SPC 150HyB	Brown C, Light Brown C, Brown B, Light Brown B, Brown SK, Light Brown SK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/01/30 2025/08/18	Japan ⊻ Others ⊻
01798 ECOLOFLEX SPC 600 HyB Premium	Brown 1, Brown 2, Brown 3, Light Brown 1, Light Brown 2, Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/10/15 2026/12/14	Japan ⊻ Others □
01485 ECOLOFLEX SPC200	Light Brown K, Dark Brown K, Brown Z, Light Brown Z, Light Brown LF, Brown LF, Black Z	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/03/24 2027/02/15	Japan ⊻ Others ⊻
01102 ECOLOFLEX SPC250 HyB	CherryV, PlumV, Cherry SK, Plum SK, Cherry EK, Plum EK, Blue M	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2006/03/10 2025/10/20	Japan ⊻ Others ⊻

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD. \*Registered Sytems Listed in alphabetical Order. Registration Manufactured Dates of: Type of anti-fouling system Reg.No. Name of anti-fouling system Colour(s) CAS No. **Chemical name (IUPAC)** Expirv in  $\checkmark$ 2004/11/19 Japan 00368 ECOLOFLEX SPC400 Cherry V Self polishing type 1317-39-1 Cuprous oxide 2025/08/18 Others 13463-41-7 Zinc-2-pyridinethiol-1-oxide 2004/11/19 Japan 00370 ECOLOFLEX SPC600 Dark Brown. Red Self polishing type 1317-39-1 Cuprous oxide 2025/10/20 Others Brown, Cherry V. 13463-41-7 Zinc-2-pyridinethiol-1-oxide Plum V, Blue, Blue V, Green 2010/10/01 Japan  $\checkmark$ 01476 ECOLOFLEX SPC600 Cherry S. Red Brown Self polishing type 1317-39-1 Cuprous oxide Others S, Light Brown S 2025/08/18 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-2004/11/19 Japan  $\checkmark$ 00371 ECOLOFLEX SPC600 HyB Cherry F, Plum F, Self polishing type 1317-39-1 Cuprous oxide 2025/08/18 Others  $\checkmark$ Red. Black. Green. Copper. bis(1.hvdroxy-2(1H)-pyridinethionato O.S)-14915-37-8 Brown V, Black F 2017/02/24  $\checkmark$ Japan 01657 ECOLOFLEX SPC600 HyB Cocoa Brown Self polishing type 1317-39-1 Cuprous oxide 2025/10/20 Others 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-64359-81-5 4.5-Dichloro-2-n-octvl-4-isothiazolin-3-one  $\checkmark$ 2024/08/23 Japan 01853 ECOLOFLEX SPC600 HvB Brown1. Dark Brown1 Self polishing type 1317-39-1 Cuprous oxide 2027/08/23 Others Premium I Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-14915-37-8 86347-14-0 4-[1-(2.3-dimethylphenyl)ethyl]-1H-imidazole 2004/03/18  $\checkmark$ Japan 00243 ECOLOFLEX SPC700 Cherry V. Plum V Self polishing type 1317-39-1 Cuprous oxide 2025/10/20 Others 13463-41-7 Zinc-2-pyridinethiol-1-oxide 2004/10/26 Japan 00363 ECOLOSILK Gray, White, Red, Biocide-free silicone type 2026/02/16 Others Black, Green, Signal Red, Blue V 2017/12/04 01681 ECOLOSILK AXEL Japan MARIGOLD Biocide-free silicone type Others  $\checkmark$ 2027/06/21 2023/12/15  $\checkmark$ Japan 01845 FASTAR 600 H Brown. Light Brown. Self polishing type 1317 - 39 - 1Cuprous oxide 2027/02/15 Others Dark Brown Copper, bis(1,hydroxy-2(1H)-pyridinethionato O.S)-14915-37-8 2023/12/15  $\checkmark$ Japan 01846 FASTAR 600 M Brown. Light Brown. Self polishing type 1317-39-1 Cuprous oxide 2027/02/15 Others 🗹 Dark Brown Copper, bis(1,hydroxy-2(1H)-pyridinethionato O.S)-14915-37-8

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2024/10/18

\*Product name case is typed as on the application form.

Page 4/ NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	vpe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01737 FASTAR I	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗸
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01738 FASTAR II	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others 🗹
01739 FASTAR XI	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01740 FASTAR XII	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown, Red Brown N, Dark Brown N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others <
01718 FUNEBIJIN MAX	Red, Blue	Self polishing type	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/02/17	Others
01609 HISOL 100	Brown F, Blue F, Light Brown R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01610 HISOL 300	Brown F, Light Brown R, Brown R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01800 HISOL FISHING BOAT	Neo Black, Neo Red	Self polishing type	1111-67-7	Cuprous Thiocyanate	2022/04/18	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2025/04/17	Others 🗹
01326 JYUNPU	Red, Black, Blue	Self polishing type	1317-39-1	Cuprous oxide	2008/11/27	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others
01608 LF-Sea 100 HS	Brown R, Light Brown R, Blue R,	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
	Brown E, Light Brown E		13463-41-7	Zinc-2-pyridinethiol-1-oxide		
04040 1 5 0 400 110		0 10 10 10			2016/06/17	Japan 🗸
01640 LF-Sea 100 HS	Brown EX, Light Brown EX	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile		Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01250 LF-Sea 150 HyB	Brown, light Brown, Brown K, Light Brown K, Brown SK, Light Brown SK, B Brown SK, B light Brown SK, B Brown, B Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/01/30 2027/08/23	Japan ⊻ Others ⊻
01228 LF-Sea 250 HyB	Cherry, Plum, Cherry SK, Plum SK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2007/07/26 2027/02/15	Japan ⊻ Others ⊻
01607 LF-Sea 300 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2027/02/15	Japan ⊻ Others □
01244 LF-Sea 400 HyB	Cherry, Plum, Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2007/12/10 2027/10/18	Japan ⊻ Others ⊻
01226 LF-Sea 600 HyB	Cherry, Plum, Cherry D, Plum D, Blue D, Red, Blue, Cherry G, Plum G, Cherry J, Plum J	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2007/07/26 2027/08/23	Japan ⊻ Others ⊻
01803 MARIART X NEO	Black, Gray, White	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2027/10/18	Japan ⊻ Others □
01802 MASSIVE NEO	Red, Black, White, Gray	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2025/06/16	Japan ⊻ Others □
00246 NIPPE STRONG 7000	Cherry	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide	2004/03/18 2027/06/21	Japan ⊻ Others □
01854 OUTFITTING A/F Premium	Brown	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2024/08/23 2027/08/23	Japan ⊻ Others □
01677 SEACHEST GUARD	Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/08/25 2026/06/15	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2024/10/18

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01642 SILYL A/F PAINT FOR SHIP'S BOOTTOP	Black	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/06/17 2025/02/17	Japan ⊻ Others □
01641 SILYL A/F PAINT FOR SHIP'S BOTTOM	Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/06/17 2025/02/17	Japan ⊻ Others □
01014 UNAGI TORYO ICHIBAN	Blue, Red, Retro Red	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide	2005/06/30 2027/10/18	Japan ⊻ Others □
01799 UNAGI TORYO ICHIBAN	Neo Black	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2027/10/18	Japan ⊻ Others □
01801 UNAGI TORYO ICHIBAN AZAYAKA NEO	Blue, Red, White	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2027/10/18	Japan ⊻ Others □
01758 UNAGI TORYO ICHIBAN AZAYAKA RAINBOW	G-1, B-1, N-1, Y-1, Y- 2, P-1, P-2, P-3, V-1, W-1	- Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2021/03/04 2025/06/16	Japan ⊻ Others □
01555 UNAGI TORYO ICHIBAN AZAYAKA SUPER	Black, Red, Blue, White, Beetle Black, Venus White, Beetle Gray, K-line Gray, Light Green	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2013/06/18 2025/02/17 *Under continuatio	Japan ⊻ Others ⊻ n application.
01570 UNAGI TORYO ICHIBAN LF-Sea	a Blue, Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/10/11 2025/06/16	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Page 7/ NIPPON PAINT MARINE COATINGS CO., LTD.

#### Name of Manufacturer: PPG PMC JAPAN CO., LTD.

8F, Shintetsu Bldg., 1-1-1 Daikaidori, Hyogo-ku, Kobe-shi, HYOGO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

30 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of	Registration Expiry	Manufactured in
00083 Crown Color Sentei Toryou YS	Red, Red Brown	Ablative type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2004/03/18	Japan 🗹
Musuzu			1317-39-1	Cuprous oxide		2024/12/02	Others
00084 Crown Color Sentei Toryou YS Musuzu	Blue	Ablative type	1317-39-1	Cuprous oxide		2004/03/18	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2024/12/02	Others
00081 Crown Super 243	Red, Black	Self polishing type	1317-39-1	Cuprous oxide		2004/03/18	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2026/06/15	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
00082 Crown Super 243	Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2004/03/18	Japan 🗹
			1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile		2024/12/02	Others
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			
00086 Marine Super TF-100	Red Brown	Ablative type	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2004/03/18	Japan 🗹
			1317-39-1	Cuprous oxide		2024/12/02	Others
00087 Rabal A/F	Red Brown	Ablative type	1317-39-1	Cuprous oxide		2004/03/18	Japan 🗹
						2024/12/02	Others
01114 Sigma Alphagen 650	Redbrown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2006/04/25	Japan 🗌
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/12/12	Others 🗹
01025 Sigma Boatmax	Blue	Self polishing type	1317-39-1	Cuprous oxide		2005/09/01	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2026/06/15	Others
01026 Sigma Boatmax	Red, Black	Self polishing type	1317-39-1	Cuprous oxide		2005/09/01	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2026/06/15	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01727 Sigma EcoFleet 270	Brown, Red Brown	n Self polishing type	1317-39-1	Cuprous oxide		2019/08/09	Japan 🗌
						2025/06/16	Others 🗹

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Page 1/ PPG PMC JAPAN CO., LTD.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01513 Sigma EcoFleet 290S	Brown, Red Brown	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide	2011/12/07 2026/10/26	Japan Others
00068 Sigma EcoFleet 530	Brown, Red Brown	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2004/06/21 2025/10/20	Japan Others ☑
01257 Sigma KAISEN M	New Red, New Blue	Self polishing type	64359-81-5 971-66-4	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one Pyridine-triphenylborane	2008/04/03 2025/12/12	Japan ⊻ Others □
00079 Sigma MANKAI	Red, Red Brown	Ablative type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide	2004/03/18 2024/12/02	Japan ⊻ Others □
00080 Sigma MANKAI	Blue	Ablative type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2004/03/18 2024/12/02	Japan ⊻ Others □
01558 Sigma Nexeon 710	Brown, Red Brown	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2013/10/11 2025/06/16	Japan ⊔ Others ⊻
01559 Sigma Nexeon 750	Brown, Red Brown, Light Grey	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2013/08/22 2025/06/16	Japan Others ☑
01829 Sigma Sailadvance DX (II)	Brown, Red Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2022/12/13 2025/12/12	Japan Others ☑
01697 Sigma Sailadvance GX	Brown, Red Brown	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide	2018/02/16 2025/10/20	Japan Others ☑
01826 Sigma Sailadvance NX	Brown, Red Brown	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2022/10/21 2025/10/20	Japan ∟ Others ⊻
01663 Sigma Sailadvance RX	Brown, Red Brown	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide	2017/02/24 2025/10/20	Japan □ Others ☑

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	n
00076 Sigma TAIKAI	Red	Self polishing type	1317-39-1	Cuprous oxide		2004/06/21	Japan	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2024/12/02	Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
00077 Sigma TAIKAI	Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2004/06/21	Japan	
			1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile		2024/12/02	Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea				
01747 Sigmaglide 1290	Redbrown, Dark	Biocide-free silicone type				2020/07/29	Japan	
	Blue, Black					2026/06/15	Others	V
01841 Sigmaglide 2390	Redbrown, blue,	Biocide-free silicone type				2023/10/27	Japan	
	black, grey, white					2026/10/26	Others	
00453 Sigmaglide 890	Clear, Redbrown,	Biocide-free silicone type	-	-		2005/02/17	Japan	
	Blue, Black, Red					2025/10/20	Others	$\checkmark$
01510 Sigmaglide 990	Dark Red, Dark Blue	e Biocide-free silicone type	-	-		2011/12/07	Japan	
						2026/10/26	Others	
00071 Sigmaglide LSE Finish	Clear	Biocide-free silicone type	-	_		2004/06/21	Japan	
						2024/12/02	Others	$\checkmark$
00085 Sigmaplane ECOL A/F HA (J)	Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2004/03/18	Japan	
			1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile		2024/12/02	Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea				
01842 Sigmarine 530	Redbrown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2023/10/27	Japan	
	Black, Blue, Spruce Green		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2026/10/26	Others	$\checkmark$

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

# Name of Manufacturer: PT. Nipsea Paint and Chemicals

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

JI Ancol Barat I/A5/C No. 12, Jakarta 14430, Indonesia

#### 2 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01850 BIOFLEX 800	Red Brown (IDN) D, Dark Brown (IDN) D, Brown (IDN) D	Controlled Depletion Polymer	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2024/02/16 2027/02/15	Japan Others ☑
01849 ECOLOFLEX SPC200	Light Brown (IDN) K, Dark Brown (IDN) K	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	,S)-	2024/02/16 2027/02/15	Japan Others

#### Name of Manufacturer: WAKO CO.,LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

2-1-13 Honkawa-cho, Naka-ku, Hiroshima-shi, HIROSHIMA

#### 5 products registered as of 2024/10/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01525 ECO AF-E	Red, Light Red,	Effluent Control Antifouling Paint	1317-39-1	Cuprous oxide		2012/08/03	Japan 🗌
	Brown Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01639 ECO AF-K	Blue 1	Effluent Control	1317-39-1	Cuprous oxide		2016/04/22	Japan 🗌
		Antifouling Paint	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/02/17	Others 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01524 ECO AF-S	Light Red, Brown Red	Antifouling Paint	1317-39-1	Cuprous oxide		2012/08/03 2027/06/21	Japan 🗌
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			Others 🗹
01528 ECO AF-Z	Red	Effluent Control	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			Japan 🗌
		Antifouling Paint	971-66-4	Pyridine-triphenylborane		2027/06/21	Others 🗹
01529 ECO AF-Z	Blue	Effluent Control Antifouling Paint	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2012/06/01	Japan 🗌
			971-66-4	Pyridine-triphenylborane		2027/06/21	Others 🗹