#### Name of Manufacturer: AKZO NOBEL COATINGS K.K. INTERNATIONAL PAINT DIV.

5F, Haubiru Nishi-Shimbashi, 2-35-2, Nishi-Shimbashi, Minato-ku TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

#### products registered as of 2025/04/18 3

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufactured in
01384 Intersmooth 7465HS SPC	BEA774-Brown,	Self Polishing Copolymer	1317-39-1	Cuprous oxide		2009/07/24	Japan 🗌
	BEA777-Red		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	)–	2027/12/17	Others 🗹
01858 Intersmooth 7475Si SPC	Brown (BEA844),	Self Polishing Copolymer	1317-39-1	Cuprous oxide		2024/08/23	Japan 🗌
	Red (BEA847)		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	)—	2027/08/23	Others 🗹
01482 Interspeed 6400	BQA644-Red,	Conventional	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2011/03/24	Japan 🗌
	BQA648-Brown		1317-39-1	Cuprous oxide		2027/06/21	Others 🗹

#### Name of Manufacturer: BASSERU CHEMICAL CO., LTD.

6-10-6, Hikoshima-Honmura-cho, Shimonoseki-shi, YAMAGUCHI

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

#### 5 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufactured in
00433 HR AF	Red	Conventional type	1317-39-1	Cuprous oxide		2005/03/11 2025/10/20	Japan ⊻ Others □
00435 HR AF SC	Red	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2005/03/11 2025/10/20	Japan ⊻ Others □
00436 HR AF SP	Redbrown	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide		2005/03/11 2025/10/20	Japan ⊻ Others □
00440 SEASTORY MARINECHAN	Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2005/03/11 2025/10/20	Japan ⊻ Others □
00441 SEASTORY SAM	Red, Blue, Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2005/03/11 2025/10/20	Japan ⊻ Others □

#### Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

16F, Toranomon Hills Station Tower, 2-6-1, Toranomon, Minato-ku, TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

78 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufact in	
01523 APPARE	Blue H, Red H, Black	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27		
	H, Light Red H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others	
01211 CMP BIOCLEAN HB	Light Grey S, Red	Biocide-free silicon type	-	-	2007/05/28	Japan	
	Brown S, Black S, Dark Blue S				2027/02/15	Others	
01746 CMP BIOCLEAN N	Light Grey	Biocide-free silicon type			2020/07/29	-	✓
					2026/06/15	Others	
01577 CMP BIOCLEAN PLUS	Black, Red Brown,	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/02/14		✓
	Red Brown A				2027/12/17	Others	$\checkmark$
01643 CMP BIOCLEAN PLUS	Red Brown S	Foul Relase Coatings	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2016/08/26	Japan	✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/02/21	Others	$\checkmark$
01213 CMP BIOCLEAN R	Light Grey, Red	Biocide-free silicon type	-	-	2007/05/28		
	Brown, Black, Off White, Ruby Red				2028/04/17	Others	
01678 CMP BIOCLEAN R PLUS	Red Brown, Plum	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/11/02		
					2026/08/17	Others	$\checkmark$
01484 CMP BIOCLEAN RS	Black	Biocide-free silicon type	-	-	2011/02/04		✓
					2028/04/17	Others	
01365 MARINE STAR 30G	Green I, Blue I, Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03	Japan	✓
	Brown I, Silver White I, Red I, Green V,		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2027/02/15	Others	
	Red V, Blue V, Silver White V		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01597 MARINE STAR A	White I, Blue I, Red	Self polishing type	1111-67-7	Cuprous Thiocyanate	2015/02/20		
	Brown I, Green I, Red I, Black I		13463-41-7	Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others	
	NEU I, DIAUK I		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/04/18

\*Product name case is typed as on the application form.

Page 1/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	es of: Registration Expiry	Manufacture in
01519 NEW KAIO	Red H, Light Red H,	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗹
	Blue H, Black H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
01522 NEW KAIO 200	Light Red, Red Brown	n Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01671 NEW KAIO 300	Red, Blue, Black	Self polishing type	1317-39-1	Cuprous oxide	2017/06/16	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
00277 NEW KAMOME	Blue, Red	Conventional type	1317-39-1	Cuprous oxide	2004/05/21	Japan 🗹
				·	2025/08/18	Others
01592 NEW MARINE GOLD	White III, Blue III,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2014/10/29	Japan 🗹
	Red Brown III, Green		13463-41-7	Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others
	III, Red III, Black III		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01564 NEW MARINE GOLD DX ALPHA	Red, Blue, Black	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H pyrrole–3–carbonitrile	2013/08/22 2025/08/18	
			13463-41-7	Zinc-2-pyridinethiol-1-oxide	2023/08/18	
			10400 41 7		0004/05/01	
00288 NEW MARINE GOLD DX CLEAR	Clear	Self polishing type	-	-	2004/05/21 2027/06/21	Japan ⊻ Others □
					2021/03/04	Japan 🖌
01769 NEW MARINE GOLD DX PLUS	White, Blue, Green, Red, Black	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2027/02/15	
	,		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		Į.
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01696 NEW PELLER CLEAN PLUS FINISH	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2026/10/26	
01725 NEW PELLER CLEAN PLUS FINISH R	Yellow	Biocide-free silicon type			2019/04/19 2027/12/17	

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: <u>Registration</u> Expiry	Manufactured
01620 SCREW AF COASTAL	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/08/2 2027/06/2	I Japan 🗹
00206 SEA GRANDPRIX 1000	Red, Light Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/06/2 2026/06/1	
01463 SEA GRANDPRIX 1000 L	Light Brown, Brown, Blue, Brown K, Light Brown K Brown H, Light Brown H, Blue H	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2010/06/04 2027/12/1	
01255 SEA GRANDPRIX 200 R	Red, Light Red, Ogi Colour	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/01/30 2027/06/2	
01616 SEA GRANDPRIX 2000 A	Light Red, Red, Purple, Blue, Black (1st coat), Black (2nd coat), Light Red N, Red N, Red K, Light Red K, Blue K, Red H, Light Red H, Blue H, Light Brown H, Light Brown R, Red R	Self polishing type	1317–39–1 14915–37–8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/06/19 2027/12/17	
01254 SEA GRANDPRIX 2000 S	Light Red, Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/01/30 2028/02/2	
01432 SEA GRANDPRIX 220 HS	Brown S, Light Brown S, Black S	Self polishing type	1317-39-1	Cuprous oxide	2009/11/20 2025/10/20	· · _
01784 SEA GRANDPRIX 2200	Light Brown, Red, Blue, Black	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/04/2 2026/04/20	
01320 SEA GRANDPRIX 500 HS	Red, Light Red, Purple, Red N, Light Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/2 2027/08/23	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufacture in
01321 SEA GRANDPRIX 500 M HS	Red, Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide		2008/11/27	Japan 🗸
	K, Light Red K, Light Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	_	2025/08/18	Others 🗹
01329 SEA GRANDPRIX 660 HS	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide		2009/01/20	Japan 🗸
	Brown S, Light Brown S, Brown R, Light Brown R, Black S		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others 🗹
01702 SEA GRANDPRIX 770 HS	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan 🗸
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01745 SEA GRANDPRIX 800 EX	Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2020/07/29	Japan 🗸
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2027/06/21	Others
01625 SEA GRANDPRIX 880 HS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2015/12/18	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/08/18	Others 🗹
01759 SEA GRANDPRIX 880 HS PLUS		Self polishing type	1317-39-1	Cuprous oxide		2021/03/04	Japan 🗹
	Brown A, Light Brown A		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01699 SEA GRANDPRIX 900 L	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01698 SEA GRANDPRIX 950 L	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2027/06/21	Others 🗹
01763 SEA GRANDPRIX CF-10 A	Blue N, Red N	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2025/08/18	Others 🗹
01764 SEA GRANDPRIX CF-10 L A	Light Red N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	_	2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2025/08/18	Others 🗹
01768 SEA GRANDPRIX FBX PLUS	White II	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2021/03/04	Japan 🗸
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
00291 SEA GRANDPRIX FRP	Light Red H	Self polishing type	1317-39-1	Cuprous oxide		2004/05/21	Japan 🗸
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	-	2027/06/21	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	Гуре of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufacture in
01552 S	EA PREMIER 1000	Red, Light Red, Blue	e Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2013/06/18 2028/02/21	Japan ⊻ Others ⊻
				13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01762 S	EA PREMIER 1000 PLUS	Red N, Purple N,	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/03/04	Japan 🗹
		Blue N, Green		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2027/02/15	Others
01761 S	EA PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2021/03/04	Japan 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2027/02/15	Others
01833 S	EA PREMIER 1000 PLUS Z	Red, Light Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2023/02/17	Japan 🗸
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2026/02/16	Others
01861 S	EA PREMIER 200 PLUS	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2024/08/23	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others	
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01785 S	EA PREMIER 2000 PLUS	Brown, Red, Red R,	Self polishing type	1317-39-1	Cuprous oxide	2021/04/21	Japan 🗸
		Brown R		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01796 S	EA PREMIER 3000	Red, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2021/10/15	Japan 🗹
		Black, Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others
01772 S	EA PREMIER 3000 PLUS 1	Light Brown, Red,	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
		Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01773 S	EA PREMIER 3000 PLUS 2	Light Brown, Red,	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
		Black		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/04/20	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01462 S	EA PREMIER 850	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2010/06/04	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Page 5/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufac in	
01674 SI	EA PREMIER CF Z	Light Red, Red	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2017/08/25 2026/06/15	Japan Others	✓
				13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01591 SI	EAFLO NEO 500 Z	Red, Light Red, Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/08/22 2026/10/26	Japan Others	✓ ✓
01766 SI	EAFLO NEO CF PREMIUM	Light Red, Red, Ligh Red S, Red S, Light Red R, Red R	t Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2025/08/18	Japan Others	✓ ✓
01788 SI	EAFLO NEO CF PREMIUM EX		Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2021/07/06 2025/08/18	Japan Others	
				14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01626 SEAFLO NEO CF Z	Red, Light Red	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/12/18 2027/08/23	Japan Others		
				13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01822 SI	EAFLO NEO CF Z	Light Red A, Red A	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/06/17 2028/04/17	Japan Others	✓ ✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
01830 SI	EAFLO NEO CF Z SUPER	Red A	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/12/13 2025/12/12	Japan Others	
				14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01776 SI	EAFLO NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1 64359-81-5 86347-14-0	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2025/08/18	Japan Others	
01812 SI	EAFLO NEO SL M	Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2022/02/18 2025/08/18	Japan Others	✓ ✓

#### Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	of: Registration Expiry	Manufacture in
01579 S	EAFLO NEO SL Z	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan 🗹
		Brown K, Light Brown K, Brown H, Light		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹
		Brown H, Blue					
01770 S	EAFLO NEO SL Z PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01875 S	EAFLO NEO SL ZX	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others 🗹
01827 S	EAFLO NEO SNF-S	Brown H, Light	Self polishing type	1317-39-1	Cuprous oxide	2022/10/21	Japan 🗹
		Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/10/20	Others
01629 S	EAFLO NEO Z	Red N2, Light Red N2	Self polishing type	1317-39-1	Cuprous oxide	2016/02/18	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others 🗹
01760 S	EAFLO NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01771 S	EAFLO NEO-S PREMIUM	Brown D	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others 🗹
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01580 S	EAFLO NEO-S Z	Red, Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan 🗹
		N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others 🗹
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01360 S	EAJET 033	Shark White I, Blue I,	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03	Japan 🗹
		Red I, Black I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/10/26	Others
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactur in
01789 SEAJET 033 PREMIUM	Blue I, Black I, Shark	Self polishing type	1317-39-1	Cuprous oxide		2021/07/06	Japan 💆
	White I, Red I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2028/02/21	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01775 SEAJET 037	Pure White, Pure	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 💆
	Black, Pure Red, Pure Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01585 SEAJET 039	Ash Black H, Ash	Self polishing type	1317-39-1	Cuprous oxide		2014/04/11	Japan 💆
	Blue H, Ash Grey H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	S)-	2026/06/15	Others L
01586 SEAJET 039	Ash Grey	Self polishing type	1317-39-1	Cuprous oxide		2014/04/11	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	5)-	2025/10/20	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01487 SEATENDER 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/03/24	Japan 💆
	Black, Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/12/12	Others <
01486 SEATENDER 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2011/03/24	Japan 💆
						2025/12/12	Others
01813 TFA-10A	Red, Light Red, Black	Self polishing type	1317-39-1	Cuprous oxide		2022/02/18	Japan 💆
						2027/12/17	Others
01578 TFA-30	Silver white, Black,	Self polishing type	1317-39-1	Cuprous oxide		2014/02/14	Japan 💆
	Red, Blue		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/08/18	Others <
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
00263 VINYL AF	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2004/05/21 2027/08/23	Japan ⊻ Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

#### Name of Manufacturer: HEMPEL A/S

Lundtoftegaardsvej 90, Kongens Lyngby, Denmark

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

30 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01851 Hempablue 87750	19990, 59151	Biocide free, fouling release type	-	-	2024/02/16 2027/12/17	Japan Others
01863 Hempaguard NB, 89970	19990	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/12/17 2027/12/17	Japan Others ☑
01581 Hempaguard X5 89700	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2027/12/17	Japan □ Others ☑
01582 Hempaguard X7 89900	19740, 19744, 59161, 59164	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2027/12/17	Japan Others ☑
01736 Hempaguard X8 89940	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/02/21 2027/12/17	Japan ⊔ Others ⊻
01864 Hempaguard XL, 88710	59151	Biocide free, fouling release			2024/12/17 2027/12/17	Japan Others ☑
01627 Hempasil X3+ 87500	15150, 19990, 30170, 47560, 59151	Biocide free, fouling release type	-	-	2016/04/22 2027/12/17	Japan □ Others ☑
01712 Hempel's Antifouling Dynamic 9000 79900	19900, 51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/12/17	Japan Others ☑
01713 Hempel's Antifouling Dynamic 9000 79950	51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/02/15	Japan Others ☑
01686 Hempel's Antifouling Globic 6000 75952	19990, 51110, 60600	Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2027/02/15	Japan Others ☑
01547 HEMPEL'S ANTIFOULING GLOBIC 6000, 75950	19990, 51110, 60600	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/02/15 2027/12/17	Japan Others ☑

Name of Manufacturer: HEMPEL A/S

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

						·		
Reg.No.	Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufacture in	
	lempel's Antifouling Globic	19990, 51110, 60600	Hydrolysing SPC type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2020/02/21	Japan 🗌	
7	000 78350			1317-39-1	Cuprous oxide	2027/12/17	Others 🗸	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
01595 H	EMPEL'S ANTIFOULING	19990, 40640,	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2015/02/20	Japan 🗌	
G	GLOBIC 8000 78550	51110, 60600		1317-39-1	Cuprous oxide	2027/12/17	Others 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
01687 H	lempel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide	2018/02/16	Japan 🗌	
9	000 78902	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹	
01688 H	lempel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide	2018/02/16	Japan 🗌	
9	000 78952	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹	
	EMPEL'S ANTIFOULING	19990, 30170,	Self polishing type	1317-39-1	Cuprous oxide	2013/02/15	Japan 🗌	
G	GLOBIC 9000, 78900	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹	
	EMPEL'S ANTIFOULING	19990, 19994,30170,	, Self polishing type	1317-39-1	Cuprous oxide	2013/02/15	Japan 🗌	
(	GLOBIC 9000, 78950	51110, 51114, 60600, 60604		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹	
01672 H	EMPEL'S ANTIFOULING	19990, 30170,	Hydrolyzing NAT	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2017/06/16	Japan	
	GLOBIC 9500 M 78954	51110, 60600	, , , ,	1317-39-1	Cuprous oxide	2027/12/17	Others 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01682 H	lempel's Antifouling Globic	19990, 37030,	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2018/02/16	Japan 🗆	
	500N 7895N	51110, 60600	, , ,	1317-39-1	Cuprous oxide	2027/12/17	Others 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01757 H	lempels' Antifouling Globic	19990, 51110, 60600	Hydrolysing NAT	1317-39-1	Cuprous oxide	2021/03/04	Japan	
	500S 7895S	. ,	, , ,	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹	
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: HEMPEL A/S

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufact in	tured
	lempel's Antifouling Oceanic lex+ 7390W	19990, 30170, 42650, 551110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Oceanic Protect+ 7395W	19990, 30170, 51110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Oceanic+ 3902	19990, 30170, 42650, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2027/12/17	Japan Others	
	lempel's Antifouling Oceanic+ 3952	19990, 30170, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2027/12/17	Japan Others	
	lempels' Antifouling Olympic lex+ 7290W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Olympic Protect 7195W	51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Olympic Protect+ 7295W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	IEMPEL'S ANTIFOULING DLYMPIC+, 72900	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2027/12/17	Japan Others	
	IEMPEL'S ANTIFOULING DLYMPIC+, 72950	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2027/12/17	Japan Others	
	lempel's Antifouling Sonic 9970	19990, 30170, 51110, 60600	Hydrolysing SA type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionat	o O,S)-	2023/02/17 2027/12/17	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

#### Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

4-18-31, Kashima, Yodogawa-ku, Osaka-shi, OSAKA

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

16 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
00337 CLEANCOAT	Reddish Brown, Red,	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
	Blue	type	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2025/04/17	Others
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		
00338 CLEANCOAT	White	Self-polishing hydration	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2004/10/26	Japan 🗹
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others
00340 CLEANCOAT A/F HP	Red, Blue, Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others
00339 CLEANCOAT SUPER A/F	Light Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00342 NEWSEARON	Red, Blue, Green,	, Self-polishing hydrolysys type	13108-52-6	2,3,5,6-Tetrachloro-4-(methylsulphonyl)pyridine	2005/02/17	Japan 🗹
	Black		1317-39-1	Cuprous oxide	2025/04/17	Others
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
00344 NEWSEARON 1000 A/F	Red, Brown	Self-polishing hydrolysys type	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00345 NEWSEARON 2000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide		Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00346 NEWSEARON 2000A A/F	Brown, Dark Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00347 NEWSEARON 3000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00343 NEWSEARON F	Red	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00349 NEWSEARON SEACHEST A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2025/04/18

Page 1/ ISHIKAWA PAINT CO., LTD.

Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00355 POISON	Reddish brown	Self-polishing type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00356 RABACOAT A/F C	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00353 VINIHARD A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00354 VINIHARD A/F #1000	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □
00352 VINYCRON A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2025/04/17	Japan ⊻ Others □

#### Name of Manufacturer: KANAE PAINT CO., LTD.

1-6-13, Hanaten-Higashi, Tsurumi-ku, Osaka-shi, OSAKA

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

10 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
00062 CLEAN TOP DELUXE	Clear	Biocide-free silicon type	-	_	2004/03/18 2027/12/17	Japan ⊻ Others □
01859 KANAE PORT A/F #5000 TA-11	Red, AutumnRed, Brown, Blue, Black	Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/08/23 2027/08/23	Japan ⊻ Others □
01574 KANAE PORT A/F #5000msKAI	Red N, Brown N	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2014/02/14 2026/02/16	Japan 🗹 Others 🗌
01573 KANAE PORT A/F #7000B KAI	Red N, Brown N, 808Blue N	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2014/02/14 2026/02/16	Japan ⊻ Others □
01748 KANAE PORT A/F CLEAN #2000 HD	Redbrown N	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29 2026/06/15	Japan 🗹 Others 🗌
01749 KANAE PORT A/F CLEAN #4000	Redbrown N	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29 2026/06/15	Japan ⊻ Others □
01750 KANAE PORT A/F CLEAN #5000 M	White N	Self polishing type	64359-81-5 971-66-4	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one Pyridine-triphenylborane	2020/07/29 2026/06/15	Japan ⊻ Others □
00014 KANAE PORT A/F CLEAN #5000 N-10	Red,Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/03/18 2027/12/17	Japan ⊻ Others □
00003 KR-A/F N	Brown, D Brown	Conventional type	1317-39-1	Cuprous oxide	2004/03/18 2027/08/23	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Name of Manufacturer: KANAE PAINT CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01860 RE;OCEAN ZERO	Red, AutumnRed,	Self-polishing type	1317-39-1	Cuprous oxide		2024/08/23	Japan 🗹
	Brown, 808Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,	S)-	2027/08/23	Others
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

#### Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

3-12-1, Minamirokugo, Ota-ku, TOKYO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

69 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
00121 AF FOR SEA CHEST	Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01424 AF MX-2080	Light Brown, Brown	N Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2009/07/24 2027/06/21	Japan ⊻ Others □
01720 AF MX-2121N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01843 AF MX-2150N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2023/12/15	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others
01867 A-F MX-2196N	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2024/12/17 2027/12/17	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01314 CLEAR EXION	Clear	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/12/15 2026/10/26	Japan ⊻ Others □
00123 C-RUBAN A/F	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan ⊻ Others □
00128 C-RUBAN A/F for SUBMARINE	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan ⊻ Others □
00129 C-RUBAN B/T for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan ⊻ Others □
00157 NEWPLADOL for SUBMARINE	Black	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01865 SEA GLIDE 80	Light Brown, Dark Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2024/12/17 2027/12/17	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2025/04/18

Page 1/ KANSAI PAINT MARINE CO., LTD.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01866 SEA GLIDE 96	Light Brown, Dark	Self polishing hydrolysis	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-	2024/12/17	In Japan ⊻
UTOOD SEA GEIDE 30	Brown	type	122454-29-9	pyrrole-3-carbonitrile	2027/12/17	Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01847 SEA MX-2000BT	White	Self polishing hydrolysis	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2024/02/16 2027/02/15	Japan ⊻ Others □
		type			2027/02/13	
01306 SHIN LLL No.100	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗹
	Brown, Light Brown, Chocolat, Rouille, Blue, Brown K	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01728 SHIN LLL PB2	Light Brown, Dark	Self polishing hydrolysis	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2019/10/18	Japan 🗹
	Brown	type	1317-39-1	Cuprous oxide	2028/04/17	Others
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01832 TAKARABUNE Type2	Red, Blue, Black,	Self polishing hydrolysis	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2023/02/17	Japan 🗹
	White, Green	type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2026/02/16	Others
01311 TAKATA A/F for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2008/12/15 2026/10/26	Japan ⊻ Others □
01297 TAKATA QUANTUM	MOL Green,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗸
	Luminous Blue, Blue	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
01298 TAKATA QUANTUM 20 FOR	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗹
COASTAL VESSEL	Brown, Light Brown, Brown S, Dark Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
	S					
00401 TAKATA QUANTUM CLASSIC	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗸
	Brown, Dark Red, Light Red, Blue	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01704 TAKATA QUANTUM CLASSIC	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2018/08/24	Japan 🗹
(R)	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
01828 TAKATA QUANTUM EV	Brown	Self polishing hydrolysis t	1317-39-1	Cuprous oxide	2022/12/13	Japan 🗹
		Vne	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
00403 TAKATA QUANTUM FB	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2004/12/22 2025/12/12	Japan 🗹
	Dark Red					
01716 TAKATA QUANTUM FB	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08 2027/12/17	Japan ⊻ Others □
	Brown N, Light Brown L, Dark Brown L	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	
01729 TAKATA QUANTUM FB(M)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/10/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
01427 TAKATA QUANTUM FB(R)	Light Brown, Dark Brown, Light Red,	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2009/07/24 2025/12/12	Japan ⊻ Others □
	Dark Red					
01717 TAKATA QUANTUM FB(R)	Ligth Brown N, Dark Brown N, Light Brown L, Dark Brown I	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
	L					
01709 TAKATA QUANTUM FOCUS I	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2018/12/07 2027/12/17	Japan ⊻ Others □
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
00146 TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗸
COASTAL VESSEL	Brown, Light Brown,	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
	Blue, Green, Brown S, Dark Brown S					
01662 TAKATA QUANTUM for	Brown, Dark Brown,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/02/24	Japan 🖌
COASTAL VESSEL V	Red, Black, Brown S, Dark Brown S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	2026/10/26	Others
00145 TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
FISHING VESSEL	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
	Dreum				2024/06/21	Japan 🗹
01855 TAKATA QUANTUM G1000	Brown	type 1	1317-39-1	Cuprous oxide	2024/00/21	Others
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/04/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01856 TAKATA QUANTUM G2000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01857 TAKATA QUANTUM G3000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01815 TAKATA QUANTUM GX-2200N	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/02/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
00385 TAKATA QUANTUM LLL	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Brown, Dark	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	0,S)- 2025/12/12	Others
01315 TAKATA QUANTUM LLL FB	Light Brown, Dark	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗹
	Brown, Light Red, Dark Red, Brown, Light		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01818 TAKATA QUANTUM MX-2145N	Light Brown, Dark	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
00143 TAKATA QUANTUM ND	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01819 TAKATA QUANTUM ND	Brown G	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
00402 TAKATA QUANTUM PLUS	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Blue, Red, Light Red, Dark Red	type d	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01426 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2009/07/24	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Page 4/ KANSAI PAINT MARINE CO., LTD.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No	. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
	TAKATA QUANTUM PLUS(R) ADVANCE	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/10/18 2027/10/18	Japan ⊻ Others
01705	TAKATA QUANTUM R5000	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/10/26 2027/06/21	Japan ⊻ Others
01706	TAKATA QUANTUM R8000	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/10/26 2027/06/21	Japan ⊻ Others □
00400	TAKATA QUANTUM ULTRA	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/12/22 2025/12/12	Japan ⊻ Others □
01669	TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2026/06/15	Japan ⊻ Others □
	TAKATA QUANTUM X-mile 000 FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2026/06/15	Japan ⊻ Others
01491	TAKATA QUANTUM X-mile 001	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2025/12/12	Japan ⊻ Others □
01492	TAKATA QUANTUM X-mile 002	Brick, Maroon, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2025/12/12	Japan ⊻ Others □
01493	TAKATA QUANTUM X-mile 003	Brick, Maroon, Brick R. Maroon R	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2026/04/20	Japan ⊻ Others □
01494	TAKATA QUANTUM X-mile 005	Brick, Maroon, Brick S, Maroon S	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2026/10/26	Japan ⊻ Others □
01495	TAKATA QUANTUM X-mile 006	Brick, Maroon, Blue, Brick S, Maroon S	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2027/12/17	Japan ⊻ Others
01496	TAKATA QUANTUM X-mile 007	Brick, Maroon, Brick S, Maroon S	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2026/10/26	Japan ⊻ Others
01708	TAKATA QUANTUM X-mile EV	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/12/17	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01666 TAKATA QUANTUM X-mile FB	Brick, Maroon, Brick R, Maroon R	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2027/06/21	Japan ⊻ Others
01806 TAKATA QUANTUM X-mile MX- 2046N	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/03 2027/06/21	Japan ⊻ Others
01665 TAKATA QUANTUM X-mile ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2026/06/15	Japan ⊻ Others
01714 X-mile EV	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2019/02/08 2027/12/17	Japan ⊻ Others □
01715 X-mile EV FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2019/02/08 2027/12/17	Japan ⊻ Others □
01630 X-mile Premium 101	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2028/04/17	Japan ⊻ Others □
01631 X-mile Premium 102	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2028/04/17	Japan ⊻ Others
01633 X-mile Premium 105	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others
01634 X-mile Premium 106	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others
01635 X-mile Premium 107	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others
01636 X-mile Premium 108	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others
01707 X-mile Premium FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/10/26 2027/06/21	Japan ⊻ Others □
01804 X-mile Premium ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/03 2027/06/21	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

This list was updated as of 2025/04/18

Page 6/ KANSAI PAINT MARINE CO., LTD.

### Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01805 X-mile Premium ND	Brick K, Maroon K	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	>	2021/12/03 2027/06/21	Japan ⊻ Others □
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato	0,S)-		
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			

Page 7/ KANSAI PAINT MARINE CO., LTD.

#### Name of Manufacturer: KOBE PAINTS, LTD.

Aza Hyakuchobu, Rokubuichi, Inami-cho Kako-gun, HYOGO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

45 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufactured in
01778 AGESHIO	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01777 AQUA ACE 3000 PLUS	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗸
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01331 CLEAN A/F 1000	Brown, Red	Conventional type	1317-39-1	Cuprous oxide		2009/04/03 2027/06/21	Japan ⊻ Others □
01503 KP ACE A/F ST 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/10/14	Japan 🗹
	Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others
01809 KP ACE A/F ST 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2021/12/03 2027/12/17	Japan ⊻ Others □
01332 NEW PLACOAT	Red, Blue, Brown	Conventional type	1317-39-1	Cuprous oxide		2009/04/03 2027/06/21	Japan ⊻ Others □
01569 OCEAN PREMIER 1000	Light Red, Red, Blue	e Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)– pyrrole–3–carbonitrile	1H-	2013/08/22 2025/08/18	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01780 OCEAN PREMIER 1000 PLUS	Purple N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	)—	2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
01781 OCEAN PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
01872 OCEAN PREMIER 1000 PLUS Z	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2025/04/18	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2028/04/17	Others

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01873 (	DCEAN PREMIER 1000 PLUS Z		Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗸
		Brown R		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01779 (	DCEAN PREMIER 200 PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01790 0	DCEAN PREMIER 3000	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
01783 (	DCEAN PREMIER 3000 PLUS	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others	
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01791 (	DCEAN PREMIER 3000 PLUS 1	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01792 (	DCEAN PREMIER 3000 PLUS 2	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01637 0	DCEAN PREMIER 800 Z	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		Red, Light Red N, Red N, Blue, Light		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others
Red H, H, Ligh	Red H, Red H, Blue H, Light Brown H, Light Brown R, Red F	<b>ξ</b>					
01649 0	DCEAN-DYNA NEO	Light Red N2, Red N2	2 Self polishing type	1317-39-1	Cuprous oxide	2016/12/07	Japan 🗹
	C C			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01621 (	1621 OCEAN-DYNA NEO 500 Z Light	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/08/21	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

This list was updated as of 2025/04/18

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufacture in
01870 OCEAN-DYNA NEO CF PREMIUM	Light Red R, Red R	Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2025/04/18 2028/04/17	Japan 🗹 Others
01647 OCEAN-DYNA NEO CF Z	Light Red, Red	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2016/08/26 2025/08/18	Japan ⊻ Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01601 OCEAN-DYNA NEO FLAT Z	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/02/20	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
01808 OCEAN-DYNA NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/12/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01539 OCEAN-DYNA NEO SL	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2012/12/10 2026/06/15	Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		Others
01871 OCEAN-DYNA NEO SL M	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
01599 OCEAN-DYNA NEO SL Z	Light Brown, Brown,	n, Self polishing type	1317-39-1	Cuprous oxide	2015/02/20	Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
01650 OCEAN-DYNA NEO Z	Light Red N2, Red N2	Self polishing type	1317-39-1	Cuprous oxide	2016/12/07	Japan 🗸
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01807 OCEAN-DYNA NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01566 OCEAN-DYNA NEO-S	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2013/08/22	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration	on Manufactured in
01869 OCEAN-DYNA NEO-S	Brown D	Self polishing type	1317-39-1	Cuprous oxide	2025/04/	18 Japan 🗹
PREMIUM			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/	17 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01602 OCEAN-DYNA NEO-S Z	Light Red, Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/02/2	
	N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/	15 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01461 OYASHIO	Red	Self polishing type	1317-39-1	Cuprous oxide	2010/06/04	•
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/	17 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01459 SOKOPEN R	Red, Blue	Self polishing type	1317-39-1	Cuprous oxide	2010/06/0	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	17 Others
01490 SUPER A/F 1000L	Light Brown, Brown,	, Self polishing type	1317-39-1	Cuprous oxide	2011/06/0	
	Dark Brown, Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/	15 Others
01337 SUPER A/F 200 R	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/2	21 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01638 SUPER A/F 2000 A	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2016/04/2	
	Red, Light Red N,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/	18 Others
	Red N, Blue, Black (1st coat), Black (2nd coat), Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red R					
01340 SUPER A/F 2000 S	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/0	• ap a
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/2	21 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KOBE PAINTS, LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

		•							
Reg.No. N	lame of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufac in	
01793 SUF	PER A/F 2200	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/08/20	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2027/08/23	Others	
01452 SUF	PER A/F 500 HS	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide		2010/08/06	Japan	✓
		Red, Light Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2026/10/26	Others	
01453 SUF	PER A/F 500 M HS	Light Red, Red, Ligh	t Self polishing type	1317-39-1	Cuprous oxide		2010/08/06	Japan	✓
		Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	—	2026/10/26	Others	
01439 SUF	PER A/F 660 HS	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide		2009/11/20	Japan	✓
	Brown S, Ligh	Brown S, Light Brow	'n	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/08/18	Others	
		S, Brown R, Light Brown R							
01721 SUF	PER A/F 880 HS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2019/04/19	Japan	✓
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others	
01874 SUF	PER A/F 880 HS PLUS	Light Brown, Brown,		1317-39-1	Cuprous oxide		2025/04/18	Japan	✓
		Light Brown A, Brow	'n	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others	
		~		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01823 SUF	PER A/F 950 L	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2022/08/19	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2025/08/18	Others	
01810 SUF	01810 SUPER A/F CF-10 L A Light	Light Red N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2021/12/03	Japan	✓
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/12/17	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

### Name of Manufacturer: NIPPON PAINT (COATINGS) PHILIPPINES, INC.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

#4 Hologram St, Light Industry Science Park, Cabuyao, Laguna, Philippines

#### 2 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01839 BIOFLEX 800	RED BROWN (PH) D, GREEEN (PH) D	Controlled Depletion Polymer Type	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2023/12/15 2027/12/17	Japan □ Others ✔
01840 ECOLOFLEX SPC200	LIGHT BROWN (PH) K, DARK BROWN (PH) K	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O	,S)-	2023/12/15 2026/12/14	Japan Others ☑

Page 1/ NIPPON PAINT (COATINGS) PHILIPPINES, INC.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

2-1-2 Oyodo-kita, Kita-ku, Osaka-shi, OSAKA

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

products registered as of 2025/04/18 66

Reg.No. Name of anti-fouling system	Colour(s)	Гуре of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01605 A-LF-Sea 100 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01820 A-LF-Sea 100 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2022/04/18 2028/04/17	Japan ⊻ Others □
01532 A-LF-Sea 150	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK, Deep Red, Purple	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2025/10/20	Japan ⊻ Others ⊻
01533 A-LF-Sea 250	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2025/10/20	Japan ⊻ Others ⊻
01606 A-LF-Sea 300 HS	Blue R, Brown R, Light Brown R, Brown E, Light Brow E, Red IM, Maroon Z		122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2025/10/20	Japan ⊻ Others □
01731 A-LF-Sea 300 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2019/12/17 2026/06/15	Japan ⊻ Others □
01553 A-LF-Sea 400	Brown, Red Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/04/12 2027/10/18	Japan ⊻ Others ⊻
01534 A-LF-Sea 600	Brown, Red Brown, Light Brown, Blue, Brown E, Light Brow E, Brown EK, Light Brown EK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2027/06/21	Japan ⊻ Others ⊻

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/04/18

\*Product name case is typed as on the application form.

Page 1/ NIPPON PAINT MARINE COATINGS CO., LTD.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	
01648 A-LF-Sea 600	Cocoa Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide		2016/10/14	Japan	
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	S)-	2027/02/15	Others	$\checkmark$
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01797 A-LF-Sea 600 Premium	Brown 1, Brown 2,	Self polishing type	1317-39-1	Cuprous oxide		2021/10/15	Japan	
	Brown 3, Light Brown 1, Light Brown 2,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	S)-	2026/12/14	Others	
E	Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3							
01852 A-LF-Sea 600 Premium L	Brown1, Dark Brown1	Self polishing type	1317-39-1	Cuprous oxide		2024/08/23	Japan	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	S)-	2027/08/23	Others	
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01653 AQUATERRAS 1000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
	Blue	polishing type				2026/06/15	Others	
01837 AQUATERRAS 1000 PLUS	Brown, Light Brown	Biocide-free self	-	_		2023/06/16	Japan	
		polishing type				2026/06/15	Others	
01654 AQUATERRAS 2000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
	Blue, Black	polishing type				2027/06/21	Others	
01848 AQUATERRAS 3100	Brown, Light Brown	Biocide-free self	-	-		2024/02/16	Japan	
		polishing type				2027/02/15	Others	
01655 AQUATERRAS 6000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
	Blue, Black	polishing type				2027/10/18	Others	
01656 AQUATERRAS 8000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan	
	Blue, Black	polishing type				2027/06/21	Others	
01466 BIOFLEX 800	Brown C, Dark Brown	Controlled depletion	1317-39-1	Cuprous oxide		2010/08/06	Japan	
	C, Red Brown C, Red Brown D, Dark Brown	polymer type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/10/20	Others	$\checkmark$
	D, Brown D							

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01568 BIOFLEX A/F	Red Oxide	Conventional type	1317-39-1	Cuprous oxide	2013/08/22 2027/02/15	Japan ⊻ Others
00252 BIOFLEX TECHNO	Red Brown	Ablative type	1317-39-1 13463-41-7 330-54-1	Cuprous oxide Zinc-2-pyridinethiol-1-oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2004/03/18 2025/10/20	Japan ⊻ Others □
01676 DRAFT A/F Super	White, Black	Self polishing type	122454-29-9 13463-41-7	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile Zinc–2–pyridinethiol–1–oxide	2017/08/25 2027/02/15	Japan ⊻ Others □
01325 ECOLOFLEX SPC 100FWR	Red Brown, Dark Brown, Brown C, Light Brown C	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/27 2025/10/20	Japan ⊻ Others ⊻
01249 ECOLOFLEX SPC 150HyB	Brown C, Light Brown C, Brown B, Light Brown B, Brown SK, Light Brown SK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/01/30 2025/08/18	Japan ⊻ Others ⊻
01798 ECOLOFLEX SPC 600 HyB Premium	Brown 1, Brown 2, Brown 3, Light Brown 1, Light Brown 2, Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/10/15 2026/12/14	Japan ⊻ Others □
01485 ECOLOFLEX SPC200	Light Brown K, Dark Brown K, Brown Z, Light Brown Z, Light Brown LF, Brown LF, Black Z, Dark Brown Z	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/03/24 2028/04/17	Japan ⊻ Others ⊻
01102 ECOLOFLEX SPC250 HyB	CherryV, PlumV, Cherry SK, Plum SK, Cherry EK, Plum EK, Blue M	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2006/03/10 2025/10/20	Japan ⊻ Others ⊻

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD. \*Registered Sytems Listed in alphabetical Order. Registration Manufactured Dates of: Type of anti-fouling system Reg.No. Name of anti-fouling system Colour(s) CAS No. **Chemical name (IUPAC)** Expirv in  $\checkmark$ 2004/11/19 Japan 00368 ECOLOFLEX SPC400 Cherry V Self polishing type 1317-39-1 Cuprous oxide 2025/08/18 Others 13463-41-7 Zinc-2-pyridinethiol-1-oxide 2004/11/19 Japan 00370 ECOLOFLEX SPC600 Dark Brown. Red Self polishing type 1317-39-1 Cuprous oxide 2025/10/20 Others Brown, Cherry V. 13463-41-7 Zinc-2-pyridinethiol-1-oxide Plum V, Blue, Blue V, Green 2010/10/01 Japan  $\checkmark$ 01476 ECOLOFLEX SPC600 Cherry S. Red Brown Self polishing type 1317-39-1 Cuprous oxide Others S, Light Brown S 2025/08/18 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-2004/11/19  $\checkmark$ Japan 00371 ECOLOFLEX SPC600 HyB Cherry F, Plum F, Self polishing type 1317-39-1 Cuprous oxide 2025/08/18 Others  $\checkmark$ Red. Black. Green. Copper. bis(1.hvdroxy-2(1H)-pyridinethionato O.S)-14915-37-8 Brown V, Black F 2017/02/24  $\checkmark$ Japan 01657 ECOLOFLEX SPC600 HyB Cocoa Brown Self polishing type 1317-39-1 Cuprous oxide 2025/10/20 Others 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-64359-81-5 4.5-Dichloro-2-n-octvl-4-isothiazolin-3-one  $\checkmark$ 2024/08/23 Japan 01853 ECOLOFLEX SPC600 HvB Brown1. Dark Brown1 Self polishing type 1317-39-1 Cuprous oxide 2027/08/23 Others Premium I Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-14915-37-8 86347-14-0 4-[1-(2.3-dimethylphenyl)ethyl]-1H-imidazole 2004/03/18  $\checkmark$ Japan 00243 ECOLOFLEX SPC700 Cherry V. Plum V Self polishing type 1317-39-1 Cuprous oxide 2025/10/20 Others 13463-41-7 Zinc-2-pyridinethiol-1-oxide 2004/10/26 Japan 00363 ECOLOSILK Gray, White, Red, Biocide-free silicone type 2026/02/16 Others Black, Green, Signal Red, Blue V 2017/12/04 01681 ECOLOSILK AXEL Japan MARIGOLD Biocide-free silicone type Others  $\checkmark$ 2027/06/21 2023/12/15  $\checkmark$ Japan 01845 FASTAR 600 H Brown. Light Brown. Self polishing type 1317 - 39 - 1Cuprous oxide 2027/02/15 Others Dark Brown Copper, bis(1,hydroxy-2(1H)-pyridinethionato O.S)-14915-37-8 2023/12/15  $\checkmark$ Japan 01846 FASTAR 600 M Brown. Light Brown. Self polishing type 1317-39-1 Cuprous oxide 2027/02/15 Others 🗹 Dark Brown Copper, bis(1,hydroxy-2(1H)-pyridinethionato O.S)-14915-37-8

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/04/18

\*Product name case is typed as on the application form.

Page 4/ NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	vpe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01737 FASTAR I	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗸
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01738 FASTAR II	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others 🗹
01739 FASTAR XI	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01740 FASTAR XII	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown, Red Brown N, Dark Brown N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others 🗹
01718 FUNEBIJIN MAX	Red, Blue	Self polishing type	1317-39-1	Cuprous oxide	2019/04/19	Japan 🖌
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01609 HISOL 100	Brown F, Blue F, Light Brown R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
-			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01610 HISOL 300	Brown F, Light Brown R, Brown R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01800 HISOL FISHING BOAT	Neo Black, Neo Red,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2022/04/18	Japan 🗹
	Neo Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/02/21	Others
01326 JYUNPU	Red, Black, Blue	Self polishing type	1317-39-1	Cuprous oxide	2008/11/27	Japan 🗹
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others
01608 LF-Sea 100 HS	Brown R, Light Brown R, Blue R,	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
	Brown E, Light Brown E		13463-41-7	Zinc-2-pyridinethiol-1-oxide		
04040 LE 0 400 LIC		0 10 10 10			2016/06/17	Japan 🖌
	Brown EX, Light Brown EX	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile		Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

\*Product name case is typed as on the application form.

This list was updated as of 2025/04/18

Page 5/ NIPPON PAINT MARINE COATINGS CO., LTD.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01250 LF-Sea 150 HyB	Brown, light Brown, Brown K, Light Brown K, Brown SK, Light Brown SK, B Brown SK, B light Brown SK, B Brown, B Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/01/30 2027/08/23	Japan ⊻ Others ⊻
01228 LF-Sea 250 HyB	Cherry, Plum, Cherry SK, Plum SK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2007/07/26 2027/02/15	Japan ⊻ Others ⊻
01607 LF-Sea 300 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2027/02/15	Japan ⊻ Others □
01244 LF-Sea 400 HyB	Cherry, Plum, Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2007/12/10 2027/10/18	Japan ⊻ Others ⊻
01226 LF-Sea 600 HyB	Cherry, Plum, Cherry D, Plum D, Blue D, Red, Blue, Cherry G, Plum G, Cherry J, Plum J	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2007/07/26 2027/08/23	Japan ⊻ Others ⊻
01803 MARIART X NEO	Black, Gray, White	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2027/10/18	Japan ⊻ Others □
01802 MASSIVE NEO	Red, Black, White, Gray	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2028/04/17	Japan ⊻ Others □
00246 NIPPE STRONG 7000	Cherry	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide	2004/03/18 2027/06/21	Japan ⊻ Others □
01854 OUTFITTING A/F Premium	Brown	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2024/08/23 2027/08/23	Japan ⊻ Others □
01677 SEACHEST GUARD	Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/08/25 2026/06/15	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	of: Registration Expiry	Manufactured in
01642 SILYL A/F PAINT FOR SHIP'S BOOTTOP	Black	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/06/17 2027/12/17	Japan ⊻ Others □
01641 SILYL A/F PAINT FOR SHIP'S BOTTOM	Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/06/17 2027/12/17	Japan ⊻ Others □
01014 UNAGI TORYO ICHIBAN	Blue, Red, Retro Red	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide	2005/06/30 2027/10/18	Japan ⊻ Others □
01799 UNAGI TORYO ICHIBAN	Neo Black	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2027/10/18	Japan ⊻ Others □
01801 UNAGI TORYO ICHIBAN AZAYAKA NEO	Blue, Red, White	Self polishing type	1111-67-7 64359-81-5	Cuprous Thiocyanate 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2021/12/03 2027/10/18	Japan ⊻ Others □
01758 UNAGI TORYO ICHIBAN AZAYAKA RAINBOW	G-1, B-1, N-1, Y-1, Y- 2, P-1, P-2, P-3, V-1, W-1	1 0 71	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2021/03/04 2028/04/17	Japan ⊻ Others □
01555 UNAGI TORYO ICHIBAN AZAYAKA SUPER	Black, Red, Blue, White, Beetle Black, Venus White, Beetle Gray, K-line Gray, Light Green	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2013/06/18 2027/12/17 *Under continuatio	Japan 🗹 Others 🗹 n application.
01570 UNAGI TORYO ICHIBAN LF-Sea	Blue, Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/10/11 2028/04/17	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

Page 7/ NIPPON PAINT MARINE COATINGS CO., LTD.

#### Name of Manufacturer: PPG PMC JAPAN CO., LTD.

8F, Shintetsu Bldg., 1-1-1 Daikaidori, Hyogo-ku, Kobe-shi, HYOGO

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

31 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufact in	ured
00083 Crown Color Sentei Toryou YS	Red, Red Brown	Ablative type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2004/03/18		
Musuzu			1317-39-1	Cuprous oxide	2027/12/17	Others	
00084 Crown Color Sentei Toryou YS Musuzu	Blue	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2024/12/02		
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		Others	
00081 Crown Super 243	Red, Black	Self polishing type	1317-39-1	Cuprous oxide	2004/03/18		<ul> <li></li> </ul>
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
00082 Crown Super 243	Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2004/03/18		<ul> <li></li> </ul>
			1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2024/12/02	Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			
00086 Marine Super TF-100	Red Brown	Ablative type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2004/03/18		<ul> <li>Image: A start of the start of</li></ul>
			1317-39-1	Cuprous oxide	2024/12/02	Others	
01868 PPG Nexeon 810	Brown Redbrown	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2025/02/21 2028/02/21	Japan Others	✓
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
00087 Rabal A/F	Red Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2024/12/02	• • • • • • • • • •	
01114 Sigma Alphagen 650	Redbrown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2006/04/25	Japan	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2025/12/12	Others	$\checkmark$
01025 Sigma Boatmax	Blue	Self polishing type	1317-39-1	Cuprous oxide	2005/09/01 2026/06/15		
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		Others	
01026 Sigma Boatmax	Red, Black	Self polishing type	1317-39-1	Cuprous oxide	2005/09/01		✓
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/04/18

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	es of:  -	Registration Expiry	Manufactu in	ired
01727 Sigma EcoFleet 270	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2019/08/09 2025/06/16	Japan Others	
01513 Sigma EcoFleet 290S	Brown, Red Brown	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2011/12/07 2026/10/26	Japan Others	✓
00068 Sigma EcoFleet 530	Brown, Red Brown	Self polishing type	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2004/06/21 2025/10/20	Japan Others	<ul> <li>Image: A start of the start of</li></ul>
01257 Sigma KAISEN M	New Red, New Blue	Self polishing type	64359-81-5 971-66-4	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one Pyridine-triphenylborane		2008/04/03 2025/12/12		
00079 Sigma MANKAI	Red, Red Brown	Ablative type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2004/03/18 2024/12/02	Japan Others	
00080 Sigma MANKAI	Blue	Ablative type	1317-39-1 330-54-1	Cuprous oxide 3–(3,4–Dichlorophenyl)–1, 1–dimethyl urea		2004/03/18 2024/12/02	Japan Others	
01558 Sigma Nexeon 710	Brown, Red Brown	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide		2013/10/11 2025/06/16	Japan Others	<b>~</b>
01559 Sigma Nexeon 750	Brown, Red Brown, Light Grey	Self polishing type	122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide		2013/08/22 2025/06/16	Japan Others	<ul> <li>Image: A start of the start of</li></ul>
01829 Sigma Sailadvance DX (II)	Brown, Red Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		2022/12/13 2025/12/12	Japan Others	<ul> <li>✓</li> </ul>
01697 Sigma Sailadvance GX	Brown, Red Brown	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/02/16 2025/10/20	Japan Others	✓
01826 Sigma Sailadvance NX	Brown, Red Brown	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2022/10/21 2025/10/20	Japan Others	<ul><li>✓</li></ul>
01663 Sigma Sailadvance RX	Brown, Red Brown	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2017/02/24 2025/10/20	Japan Others	✓

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form. This list was updated as of 2025/04/18

Page 2/ PPG PMC JAPAN CO., LTD.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufac in	1
00076 Sigma TAIKAI	Red	Self polishing type	1317-39-1	Cuprous oxide		2004/06/21	Japan	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2027/12/17	Others	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
00077 Sigma TAIKAI	Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2004/06/21	Japan	
			1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile		2024/12/02	Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea				
01747 Sigmaglide 1290	Redbrown, Dark	Biocide-free silicone type				2020/07/29	Japan	
	Blue, Black					2026/06/15	Others	$\checkmark$
01841 Sigmaglide 2390	Redbrown, blue,	Biocide-free silicone type				2023/10/27	Japan	
	black, grey, white					2026/10/26	Others	$\checkmark$
00453 Sigmaglide 890	Clear, Redbrown,	Biocide-free silicone type	-	_		2005/02/17	Japan	
	Blue, Black, Red					2025/10/20	Others	$\checkmark$
01510 Sigmaglide 990	Dark Red, Dark Blu	e Biocide-free silicone type	-	_		2011/12/07	Japan	
						2026/10/26	Others	$\checkmark$
00071 Sigmaglide LSE Finish	Clear	Biocide-free silicone type	-	_		2004/06/21	Japan	
						2024/12/02	Others	$\checkmark$
00085 Sigmaplane ECOL A/F HA (J)	Red Brown	Self polishing type	1317-39-1	Cuprous oxide		2004/03/18	Japan	
			1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile		2024/12/02	Others	
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea				
01842 Sigmarine 530	Redbrown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2023/10/27	Japan	
č	Black, Blue, Spruce Green	;	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2026/10/26	Others	$\checkmark$

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. \*Product name case is typed as on the application form.

# Name of Manufacturer: PT. Nipsea Paint and Chemicals

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

JI Ancol Barat I/A5/C No. 12, Jakarta 14430, Indonesia

#### 2 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01850 BIOFLEX 800	Red Brown (IDN) D, Dark Brown (IDN) D, Brown (IDN) D	Controlled Depletion Polymer	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2024/02/16 2027/02/15	Japan Others ☑
01849 ECOLOFLEX SPC200	Light Brown (IDN) K, Dark Brown (IDN) K	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,	,S)-	2024/02/16 2027/02/15	Japan Others

#### Name of Manufacturer: WAKO CO.,LTD.

\*Continuation process must be taken every 3 years for each system. \*Registered Sytems Listed in alphabetical Order.

2-1-13 Honkawa-cho, Naka-ku, Hiroshima-shi, HIROSHIMA

#### 5 products registered as of 2025/04/18

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01525 ECO AF-E	Red, Light Red,	Effluent Control	1317-39-1	Cuprous oxide		2012/08/03	Japan 🗌
	Brown Red	Antifouling Paint	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others 🗹
01639 ECO AF-K	Blue 1	Effluent Control Antifouling Paint	1317-39-1	Cuprous oxide		2016/04/22	Japan 🗌
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2027/12/17	Others 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01524 ECO AF-S	Light Red, Brown Red	Effluent Control Antifouling Paint	1317-39-1	Cuprous oxide		2012/08/03 2027/06/21	Japan 🗌
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			Others 🗹
01528 ECO AF-Z	Red	Effluent Control Antifouling Paint	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2012/06/01	Japan 🗌
			971-66-4	Pyridine-triphenylborane		2027/06/21	Others 🗹
01529 ECO AF-Z	Blue	Effluent Control Antifouling Paint	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2012/06/01	Japan 🗌
			971-66-4	Pyridine-triphenylborane		2027/06/21	Others 🗹