Name of Manufacturer: AKZO NOBEL COATINGS K.K. INTERNATIONAL PAINT DIV.

5F, Haubiru Nishi-Shimbashi, 2-35-2, Nishi-Shimbashi, Minato-ku TOKYO

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

3 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) D	ates of:	Registration Expiry	Manufactured in
01384 Intersmooth 7465HS SPC	BEA774-Brown,	Self Polishing Copolymer	1317-39-1	Cuprous oxide		2009/07/24	Japan □ Others ☑
	BEA777-Red		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	5)-	2027/12/17	Others 🗹
01858 Intersmooth 7475Si SPC	Brown (BEA844),	Self Polishing Copolymer	1317-39-1	Cuprous oxide		2024/08/23	Japan 🗌
	Red (BEA847)		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	5)-	2027/08/23	Others 🗹
01482 Interspeed 6400	BQA644-Red,	Conventional	12122-67-7	Zinc ethylenebis (dithiocarbamate)		2011/03/24	Japan 🗌
	BQA648-Brown		1317-39-1	Cuprous oxide		2027/06/21	Others 🗹

Name of Manufacturer: BASSERU CHEMICAL CO., LTD.

6-10-6, Hikoshima-Honmura-cho, Shimonoseki-shi, YAMAGUCHI

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

5 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) D	ates of:	Registration Expiry	Manufactured in
00433 HR AF	Red	Conventional type	1317-39-1	Cuprous oxide		2005/03/11 2025/10/20	Japan ⊻ Others □
00435 HR AF SC	Red	Ablative type	1317-39-1 330-54-1 64359-81-5	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2005/03/11 2025/10/20	Japan ⊻ Others □
00436 HR AF SP	Redbrown	Self polishing type	1317-39-1 13463-41-7	Cuprous oxide Zinc-2-pyridinethiol-1-oxide		2005/03/11 2025/10/20	Japan ⊻ Others □
00440 SEASTORY MARINECHAN	Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2005/03/11 2025/10/20	Japan ⊻ Others □
00441 SEASTORY SAM	Red, Blue, Black	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)–	2005/03/11 2025/10/20	Japan ⊻ Others □

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

16F, Toranomon Hills Station Tower, 2–6–1, Toranomon, Minato-ku, TOKYO

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

78 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	: Registration Expiry	Manufacture in
01523 APPARE	Blue H, Red H, Black	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗸
	H, Light Red H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others 🗆
01211 CMP BIOCLEAN HB	Light Grey S, Red	Biocide-free silicon type	-	-	2007/05/28	Japan 🗸
	Brown S, Black S, Dark Blue S				2027/02/15	Others
01746 CMP BIOCLEAN N	Light Grey	Biocide-free silicon type			2020/07/29	Japan 🗹
	0				2026/06/15	Others
01577 CMP BIOCLEAN PLUS	Black, Red Brown,	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/02/14	Japan 🗸
	Red Brown A	-			2027/12/17	Others 🗹
01643 CMP BIOCLEAN PLUS	Red Brown S	Foul Relase Coatings	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2016/08/26	Japan 🗸
		-	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/02/21	Others 🗹
01213 CMP BIOCLEAN R	Light Grey, Red	Biocide-free silicon type	-	_	2007/05/28	Japan 🗸
	Brown, Black, Off White, Ruby Red				2028/04/17	Others 🗹
01678 CMP BIOCLEAN R PLUS	Red Brown, Plum	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/11/02	Japan 🗹
					2026/08/17	Others 🗹
01484 CMP BIOCLEAN RS	Black	Biocide-free silicon type	-	-	2011/02/04	Japan 🗸
					2028/04/17	Others
01365 MARINE STAR 30G	Green I, Blue I, Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03	Japan 🗹
	Brown I, Silver White I, Red I, Green V,		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2027/02/15	Others
	Red V, Blue V, Silver		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
	White V					
01597 MARINE STAR A	White I, Blue I, Red	Self polishing type	1111-67-7	Cuprous Thiocyanate	2015/02/20	Japan 🗹
	Brown I, Green I, Red I, Black I		13463-41-7	Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form. This list was updated as of 2025/06/06

Page 1/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufacture in
Red H, Light Red H,	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗸
Blue H, Black H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
Light Red, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2012/01/27	Japan 🗹
		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
Red, Blue, Black	Self polishing type	1317-39-1	Cuprous oxide	2017/06/16	Japan 🗸
		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
Blue, Red	Conventional type	1317-39-1	Cuprous oxide	2004/05/21	Japan 🗹
				2028/06/05	Others
White III, Blue III,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2014/10/29	Japan 🗸
Red Brown III, Green		13463-41-7	Zinc-2-pyridinethiol-1-oxide	2026/10/26	Others
III, Red III, Black III		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
Red, Blue, Black	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H-	2013/08/22	Japan 🗹
		12462-41-7		2028/06/05	Others
		13403-41-7			
Clear	Self polishing type	-	-		Japan ⊻ Others □
White, Blue, Green,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		Japan 🗹
Red, Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/02/15	Others
		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2026/10/26	Japan ⊻ Others
Yellow	Biocide-free silicon type			2019/04/19	Japan ⊻ Others
	Blue H, Black H Light Red, Red Brown Red, Blue, Black Blue, Red White III, Blue III, Red Brown III, Green III, Red III, Black III Red, Blue, Black Clear White, Blue, Green, Red, Black Yellow Brown	Blue H, Black HLight Red, Red BrownSelf polishing typeRed, Blue, BlackSelf polishing typeBlue, RedConventional typeWhite III, Blue III, Red Brown III, Green III, Red III, Black IIISelf polishing typeRed, Blue, BlackSelf polishing typeClearSelf polishing typeWhite, Blue, Green, Red, BlackSelf polishing typeYellow BrownFoul Release Coating	Blue H, Black H14915-37-8Light Red, Red BrownSelf polishing type1317-39-114915-37-864359-81-5Red, Blue, BlackSelf polishing type1317-39-114915-37-864359-81-5Blue, RedConventional type1317-39-1White III, Blue III, Red Brown III, Green III, Red III, Black IIISelf polishing type1111-67-713463-41-7 64359-81-5122454-29-9Red, Blue, BlackSelf polishing type122454-29-913463-41-7Self polishing type13463-41-7ClearSelf polishing type-White, Blue, Green, Red, BlackSelf polishing type13463-41-764359-81-5Self polishing type-Yellow BrownFoul Release Coating14915-37-8	Blue H, Black H 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)- Light Red, Red Brown Self polishing type 1317-39-1 Cuprous oxide 14915-37-8 Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)- 64359-81-5 4,5-Dichloro-2-m-octyl-4-isothiazolim-3-one Red, Blue, Black Self polishing type 1317-39-1 Cuprous oxide Blue, Red Conventional type 1317-39-1 Cuprous oxide Blue, Red Conventional type 1317-39-1 Cuprous oxide White III, Blue III, Red III, Black III Self polishing type 1111-67-7 Cuprous Thiocyanate Red, Blue, Black Self polishing type 122454-29-9 4-5 Dichloro-2-m-octyl-4-isothiazolim-3-one Red, Blue, Black Self polishing type 122454-29-9 4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Red, Blue, Black Self polishing type - - White, Blue, Green, Red, Black Self polishing type 13463-41-7 Zinc-2-pyridinethiol-1-oxide 64359-81-5 4,5-Dichloro-2-m-octyl-4-isothiazolim-3-one Red, Black Self polishing type - - Velke, Blue, Green, Red, Black Self polishing type 13463-41-7 Zinc-2-pyridinethiol-1-oxide 64359-81-5 4,5-Dichloro-2-m-octyl-4-isothiazolim-3-one 64359	Blue H, Black H Self polishing type 101 / 001

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: <u>Registration</u> Expiry	Manufactured
01620 SCREW AF COASTAL	Yellow Brown	Foul Release Coating	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/08/2 2027/06/2	I Japan 🗹
00206 SEA GRANDPRIX 1000	Red, Light Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/06/2 2026/06/1	
01463 SEA GRANDPRIX 1000 L	Light Brown, Brown, Blue, Brown K, Light Brown K Brown H, Light Brown H, Blue H	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2010/06/04 2027/12/1	
01255 SEA GRANDPRIX 200 R	Red, Light Red, Ogi Colour	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/01/30 2027/06/2	
01616 SEA GRANDPRIX 2000 A	Light Red, Red, Purple, Blue, Black (1st coat), Black (2nd coat), Light Red N, Red N, Red K, Light Red K, Blue K, Red H, Light Red H, Blue H, Light Brown H, Light Brown R, Red R	Self polishing type	1317–39–1 14915–37–8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2015/06/19 2027/12/17	
01254 SEA GRANDPRIX 2000 S	Light Red, Red	Self polishing type	1317-39-1 14915-37-8 64359-81-5	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/01/30 2028/02/2	
01432 SEA GRANDPRIX 220 HS	Brown S, Light Brown S, Black S	Self polishing type	1317-39-1	Cuprous oxide	2009/11/20 2025/10/20	· · _
01784 SEA GRANDPRIX 2200	Light Brown, Red, Blue, Black	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/04/2 2026/04/20	
01320 SEA GRANDPRIX 500 HS	Red, Light Red, Purple, Red N, Light Red N	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/2 2027/08/23	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form. This list was updated as of 2025/06/06

Page 3/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling sy	ystem Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) D	Dates of:	Registration Expiry	Manufac	
01321 SEA GRANDPRIX 500 M H		Self polishing type	1317-39-1	Cuprous oxide		2008/11/27 2028/06/05	Japan Others	✓
	Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	3)-	2028/00/03	Others	
01329 SEA GRANDPRIX 660 HS		Self polishing type	1317-39-1	Cuprous oxide		2009/01/20	Japan	
	Brown S, Light Brown S, Brown R, Light Brown R, Black S		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others	
01702 SEA GRANDPRIX 770 HS	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan	✓
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others	\checkmark
01745 SEA GRANDPRIX 800 EX	Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2020/07/29	Japan	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	3)-	2027/06/21	Others	
01625 SEA GRANDPRIX 880 HS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2015/12/18	Japan	✓
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/06/05	Others	V
01759 SEA GRANDPRIX 880 HS		Self polishing type	1317-39-1	Cuprous oxide		2021/03/04	Japan	✓
	Brown A, Light Brown A		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/10/20	Others	V
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01699 SEA GRANDPRIX 900 L	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan	✓
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/06/21	Others	V
01698 SEA GRANDPRIX 950 L	Brown, Light Brown	Self polishing type	1317-39-1	Cuprous oxide		2018/06/15	Japan	✓
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	3)-	2027/06/21	Others	\checkmark
01763 SEA GRANDPRIX CF-10	A Blue N	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan	
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2028/06/05	Others	V
01764 SEA GRANDPRIX CF-10 L	A Light Red N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	5)-	2021/03/04	Japan	✓
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2028/06/05	Others	V
01768 SEA GRANDPRIX FBX PL	US White II	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2021/03/04	Japan	✓
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others	
00291 SEA GRANDPRIX FRP	Light Red H	Self polishing type	1317-39-1	Cuprous oxide		2004/05/21	Japan	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	3)-	2027/06/21	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/06/06

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01552 SEA PREMIER 1000	Red, Light Red, Blue	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2013/06/18 2028/02/21	Japan ⊻ Others ⊻
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01762 SEA PREMIER 1000 PLUS	Red N, Purple N, Blue N, Green	Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2027/02/15	Japan ⊻ Others □
01761 SEA PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7 86347-14-0	Zinc-2-pyridinethiol-1-oxide 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2027/02/15	Japan ⊻ Others □
01833 SEA PREMIER 1000 PLUS Z	Red, Light Red	Self polishing type	13463-41-7 86347-14-0	Zinc-2-pyridinethiol-1-oxide 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2023/02/17 2026/02/16	Japan ⊻ Others
01861 SEA PREMIER 200 PLUS	Red, Light Red	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2024/08/23 2027/08/23	Japan ⊻ Others □
01785 SEA PREMIER 2000 PLUS	Brown, Red, Red R, Brown R	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/04/21 2027/02/15	Japan ⊻ Others □
01796 SEA PREMIER 3000	Red, Light Brown, Black, Blue	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/10/15 2026/12/14	Japan ⊻ Others □
01772 SEA PREMIER 3000 PLUS 1	Light Brown, Red, Blue	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2026/04/20	Japan ⊻ Others □
01773 SEA PREMIER 3000 PLUS 2	Light Brown, Red, Black	Self polishing type	1317-39-1 14915-37-8 86347-14-0	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2026/04/20	Japan ⊻ Others □
01462 SEA PREMIER 850	Red, Light Red	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2010/06/04 2027/08/23	Japan ⊻ Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Page 5/ CHUGOKU MARINE PAINTS, LTD.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufact in	ured
01674 S	EA PREMIER CF Z	Light Red, Red	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2017/08/25 2026/06/15	Japan Others	
				13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01591 S	EAFLO NEO 500 Z	Red, Light Red, Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/08/22 2026/10/26	Japan Others	✓ ✓
01766 S	EAFLO NEO CF PREMIUM	Light Red, Red, Ligh Red S, Red S, Light Red R, Red R	t Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2028/06/05	Japan Others	✓ ✓
01788 S	EAFLO NEO CF PREMIUM EX		Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2021/07/06 2028/06/05	Japan Others	
				14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01626 SEAFLO NEO CF Z	Red, Light Red	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/12/18 2027/08/23	Japan Others	✓ ✓	
				13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01822 S	EAFLO NEO CF Z	Light Red A, Red A	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/06/17 2028/04/17	Japan Others	✓ ✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
01830 S	EAFLO NEO CF Z SUPER	Red A	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2022/12/13 2025/12/12	Japan Others	
				14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01776 S	EAFLO NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1 64359-81-5 86347-14-0	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2021/03/04 2028/06/05	Japan Others	✓✓
01812 S	EAFLO NEO SL M	Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2022/02/18 2028/06/05	Japan Others	✓ ✓

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufacture in
01579 S	EAFLO NEO SL Z	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan 🗸
		Brown K, Light Brown K, Brown H, Light		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗸
		Brown H, Blue					
01770 S	EAFLO NEO SL Z PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01875 S	EAFLO NEO SL ZX	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others 🗹
01827 S	EAFLO NEO SNF-S	Brown H, Light	Self polishing type	1317-39-1	Cuprous oxide	2022/10/21	Japan 🗸
		Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/10/20	Others
01629 SEAFLO NEO Z	Red N2, Light Red N2	2 Self polishing type	1317-39-1	Cuprous oxide	2016/02/18	Japan 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	0,S)- 2027/08/23 C	Others 🗹
01760 S	EAFLO NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others 🗹
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01771 S	EAFLO NEO-S PREMIUM	Brown D	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others 🗹
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01580 S	EAFLO NEO-S Z	Red, Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	Japan 🗹
	Ν,	N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others 🗹
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01360 S	EAJET 033	Shark White I, Blue I,	Self polishing type	1317-39-1	Cuprous oxide	2009/04/03	Japan 🗸
		Red I, Black I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/10/26	Others
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: CHUGOKU MARINE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactur in
01789 SEAJET 033 PREMIUM	Blue I, Black I, Shark	Self polishing type	1317-39-1	Cuprous oxide		2021/07/06	Japan 💆
	White I, Red I		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2028/02/21	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01775 SEAJET 037	Pure White, Pure	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan ⊻
	Black, Pure Red, Pure Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01585 SEAJET 039	Ash Black H, Ash	Self polishing type	1317-39-1	Cuprous oxide		2014/04/11	Japan 💆
	Blue H, Ash Grey H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	S)-	2026/06/15	Others
01586 SEAJET 039	Ash Grey	Self polishing type	1317-39-1	Cuprous oxide		2014/04/11	Japan 💆
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S	5)-	2025/10/20	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01487 SEATENDER 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/03/24	Japan 💆
	Black, Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/12/12	Others <
01486 SEATENDER 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2011/03/24	Japan 💆
						2025/12/12	Others <
01813 TFA-10A	Red, Light Red, Black	Self polishing type	1317-39-1	Cuprous oxide		2022/02/18	Japan 💆
						2027/12/17	Others <
01578 TFA-30	Silver White, Black,	Self polishing type	1317-39-1	Cuprous oxide		2014/02/14	Japan 💆
	Red, Blue		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2028/06/05	Others <
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
00263 VINYL AF	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2004/05/21 2027/08/23	Japan ⊻ Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: HEMPEL A/S

Lundtoftegaardsvej 90, Kongens Lyngby, Denmark

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

30 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01851 Hempablue 87750	19990, 59151	Biocide free, fouling release type	-	-	2024/02/16 2027/12/17	Japan □ Others ☑
01863 Hempaguard NB, 89970	19990	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/12/17 2027/12/17	Japan Others ☑
01581 Hempaguard X5 89700	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2027/12/17	Japan Others ☑
01582 Hempaguard X7 89900	19740, 19744, 59161, 59164	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2014/04/11 2027/12/17	Japan Others ☑
01736 Hempaguard X8 89940	19740, 59161	Hybrid type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2020/02/21 2027/12/17	Japan Others ☑
01864 Hempaguard XL, 88710	59151	Biocide free, fouling release			2024/12/17 2027/12/17	Japan Others ☑
01627 Hempasil X3+ 87500	15150, 19990, 30170, 47560, 59151	Biocide free, fouling release type	-	-	2016/04/22 2027/12/17	Japan Others ☑
01712 Hempel's Antifouling Dynamic 9000 79900	19900, 51110, 60600) Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/12/17	Japan Others ☑
01713 Hempel's Antifouling Dynamic 9000 79950	51110, 60600	Hydrolysing silyl acrylate type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/02/15	Japan Others ☑
01686 Hempel's Antifouling Globic 6000 75952	19990, 51110, 60600) Self-polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/02/16 2027/02/15	Japan Others ☑
01547 HEMPEL'S ANTIFOULING GLOBIC 6000, 75950	19990, 51110, 60600) Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/02/15 2027/12/17	Japan Others ☑

Name of Manufacturer: HEMPEL A/S

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufacture in	
	lempel's Antifouling Globic	19990, 51110, 60600	Hydrolysing SPC type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2020/02/21	Japan 🗌	
7	000 78350			1317-39-1	Cuprous oxide	2027/12/17	Others 🗸	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
01595 H	EMPEL'S ANTIFOULING	19990, 40640,	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2015/02/20	Japan 🗌	
G	GLOBIC 8000 78550 51110	51110, 60600		1317-39-1	Cuprous oxide	2027/12/17	Others 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
01687 H	lempel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide	2018/02/16	Japan 🗌	
9	000 78902	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹	
01688 H	lempel's Antifouling Globic	19990, 30170,	Self-polishing type	1317-39-1	Cuprous oxide	2018/02/16	Japan 🗌	
9	000 78952	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹	
	EMPEL'S ANTIFOULING	19990, 30170,	Self polishing type	1317-39-1	Cuprous oxide	2013/02/15	Japan 🗌	
G	GLOBIC 9000, 78900	51110, 60600		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹	
	EMPEL'S ANTIFOULING	19990, 19994,30170,	Self polishing type	1317-39-1	Cuprous oxide	2013/02/15	Japan 🗌	
(GLOBIC 9000, 78950	51110, 51114, 60600, 60604		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others 🗹	
01672 H	EMPEL'S ANTIFOULING	19990, 30170,	Hydrolyzing NAT	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2017/06/16	Japan	
	GLOBIC 9500 M 78954	51110, 60600	, , , ,	1317-39-1	Cuprous oxide	2027/12/17	Others 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01682 H	lempel's Antifouling Globic	19990, 37030,	Hydrolysing SPC	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2018/02/16	Japan 🗆	
	500N 7895N	51110, 60600	, , ,	1317-39-1	Cuprous oxide	2027/12/17	Others 🗹	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-			
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01757 H	lempels' Antifouling Globic	19990, 51110, 60600	Hydrolysing NAT	1317-39-1	Cuprous oxide	2021/03/04	Japan	
	500S 7895S	. ,	, , ,	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹	
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: HEMPEL A/S

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufact in	tured
	lempel's Antifouling Oceanic lex+ 7390W	19990, 30170, 42650, 551110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Oceanic Protect+ 7395W	19990, 30170, 51110, 60600	Hydrolysing SPC type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Oceanic+ 3902	19990, 30170, 42650, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2027/12/17	Japan Others	
	lempel's Antifouling Oceanic+ 3952	19990, 30170, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2018/12/07 2027/12/17	Japan Others	
	lempels' Antifouling Olympic lex+ 7290W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Olympic Protect 7195W	51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	lempel's Antifouling Olympic Protect+ 7295W	19990, 30170, 51110, 60600	Self-polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2021/03/04 2027/12/17	Japan Others	
	IEMPEL'S ANTIFOULING DLYMPIC+, 72900	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2027/12/17	Japan Others	
	IEMPEL'S ANTIFOULING DLYMPIC+, 72950	19990, 30170, 43890, 51110, 60600	Self polishing type	12122-67-7 1317-39-1	Zinc ethylenebis (dithiocarbamate) Cuprous oxide		2013/02/15 2027/12/17	Japan Others	
	lempel's Antifouling Sonic 9970	19990, 30170, 51110, 60600	Hydrolysing SA type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionat	o O,S)-	2023/02/17 2027/12/17	Japan Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

4-18-31, Kashima, Yodogawa-ku, Osaka-shi, OSAKA

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

16 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
00337 CLEANCOAT	Reddish Brown, Red,	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
	Blue	type	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2028/06/05	Others
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		
00338 CLEANCOAT	White	Self-polishing hydration	1897-45-6	2,4,5,6-Tetrachloroisophthalonitrile	2004/10/26	Japan 🗹
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others
00340 CLEANCOAT A/F HP	Red, Blue, Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2025/04/17	Others
00339 CLEANCOAT SUPER A/F	Light Brown	Self-polishing hydration	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/04/17	Others
00342 NEWSEARON	Red, Blue, Green,	Self-polishing hydrolysys type	13108-52-6	2,3,5,6-Tetrachloro-4-(methylsulphonyl)pyridine	2005/02/17	Japan 🗹
	Black		1317-39-1	Cuprous oxide	2025/04/17	Others
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
00344 NEWSEARON 1000 A/F	Red, Brown	Self-polishing hydrolysys type	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others
00345 NEWSEARON 2000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, $bis(1,hydroxy-2(1H)-pyridinethionato O,S)-$	2028/06/05	Others
00346 NEWSEARON 2000A A/F	Brown, Dark Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, $bis(1,hydroxy-2(1H)-pyridinethionato O,S)-$	2028/06/05	Others
00347 NEWSEARON 3000 A/F	Red, Brown	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, $bis(1,hydroxy-2(1H)-pyridinethionato O,S)-$	2028/06/05	Others
00343 NEWSEARON F	Red	Self-polishing hydrolysys	1317-39-1	Cuprous oxide	2004/10/26	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others
00349 NEWSEARON SEACHEST A/F	Red, Brown	Self-polishing hydrolysys type	1317-39-1	Cuprous oxide	2004/10/26	Japan ⊻
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/06/05	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form. This list was updated as of 2025/06/06

Page 1/ ISHIKAWA PAINT CO., LTD.

Name of Manufacturer: ISHIKAWA PAINT CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
00355 POISON	Reddish brown	Self-polishing type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan ⊻ Others □
00356 RABACOAT A/F C	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan ⊻ Others □
00353 VINIHARD A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan ⊻ Others
00354 VINIHARD A/F #1000	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan ⊻ Others □
00352 VINYCRON A/F	Reddish brown	Ablative type	1317-39-1	Cuprous oxide		2004/10/26 2028/06/05	Japan ⊻ Others □

Page 2/ ISHIKAWA PAINT CO., LTD.

Name of Manufacturer: KANAE PAINT CO., LTD.

1-6-13, Hanaten-Higashi, Tsurumi-ku, Osaka-shi, OSAKA

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

10 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufacture in
00062 CLEAN TOP DELUXE	Clear	Biocide-free silicon type	-	-	2004/03/18	
					2027/12/17	Others
01859 KANAE PORT A/F #5000 TA-11	Red, AutumnRed,	Self-polishing type	1317-39-1	Cuprous oxide	2024/08/23	
	Brown, Blue, Black		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
01574 KANAE PORT A/F #5000msKAI	Red N, Brown N	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/02/16	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01573 KANAE PORT A/F #7000B KAI	Red N, Brown N,	Self polishing type	1317-39-1	Cuprous oxide	2014/02/14	
	808Blue N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/02/16	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01748 KANAE PORT A/F CLEAN	Redbrown N	Ablative type	1317-39-1	Cuprous oxide	2020/07/29	Japan 🗸
#2000 HD			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01749 KANAE PORT A/F CLEAN	Redbrown N	Ablative type	1317-39-1	Cuprous oxide	2020/07/29	Japan 🗸
#4000			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01750 KANAE PORT A/F CLEAN	White N	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2020/07/29	Japan 🗸
#5000 M			971-66-4	Pyridine-triphenylborane	2026/06/15	Others
00014 KANAE PORT A/F CLEAN	Red,Brown	Self polishing type	1317-39-1	Cuprous oxide	2004/03/18	
#5000 N-10			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
00003 KR-A/F N	Brown, D Brown	Conventional type	1317-39-1	Cuprous oxide	2004/03/18	
					2027/08/23	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: KANAE PAINT CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01860 RE;OCEAN ZERO	Red, AutumnRed,	Self-polishing type	1317-39-1	Cuprous oxide		2024/08/23	Japan 🗹
	Brown, 808Blue		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,	S)-	2027/08/23	Others
			330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

3-12-1, Minamirokugo, Ota-ku, TOKYO

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

68 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
00121 AF FOR SEA CHEST	Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01424 AF MX-2080	Light Brown, Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2009/07/24 2027/06/21	Japan ⊻ Others □
01720 AF MX-2121N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01843 AF MX-2150N	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2023/12/15	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/12/14	Others
01867 A-F MX-2196N	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2024/12/17 2027/12/17	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01314 CLEAR EXION	Clear	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/12/15 2026/10/26	Japan ⊻ Others □
00123 C-RUBAN A/F	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan ⊻ Others □
00128 C-RUBAN A/F for SUBMARINE	Brown	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan ⊻ Others □
00129 C-RUBAN B/T for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2004/03/18 2027/12/17	Japan ⊻ Others □
00157 NEWPLADOL for SUBMARINE	Black	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan ⊻
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01865 SEA GLIDE 80	Light Brown, Dark Brown	Self polishing hydrolysis type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	2024/12/17 2027/12/17	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form. This list was updated as of 2025/06/06

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	Гуре of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01866 \$	SEA GLIDE 96	Light Brown, Dark Brown	Self polishing hydrolysis type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2024/12/17 2027/12/17	Japan 🗹
				13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01847 \$	SEA MX-2000BT	White	Self polishing hydrolysis type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2024/02/16 2027/02/15	
01306 \$	1306 SHIN LLL No.100	Brown, Red, Dark	Self polishing hydrolysis n, type	1317-39-1	Cuprous oxide	2008/12/15	
		Brown, Light Brown, Chocolat, Rouille, Blue, Brown K		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01728 SHIN LLL PB2	SHIN LLL PB2	Blue, Brown K Light Brown, Dark	Self polishing hydrolysis	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2019/10/18	
		Brown	type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
01832	TAKARABUNE Type2	Red, Blue, Black, White, Green	Self polishing hydrolysis type	13463-41-7 64359-81-5	Zinc-2-pyridinethiol-1-oxide 4.5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2023/02/17 2026/02/16	Japan ⊻ Others
01311 1	TAKATA A/F for SUBMARINE	Black	Ablative type	1317-39-1	Cuprous oxide	2008/12/15 2026/10/26	
01297	FAKATA QUANTUM	MOL Green, Luminous Blue, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/12/15 2026/10/26	
00401 7	FAKATA QUANTUM CLASSIC	Light Brown, Dark Brown, Dark Red, Light Red, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/12/22 2025/12/12	Japan 🗹 Others
	FAKATA QUANTUM CLASSIC R)	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/08/24 2027/06/21	Japan ⊻ Others □
01828 1	FAKATA QUANTUM EV	Brown	Self polishing hydrolysis t ype	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2022/12/13 2025/12/12	
00403 1	FAKATA QUANTUM FB	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2004/12/22 2025/12/12	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/06/06

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01716 TAKATA QUANTUM FB	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗹
	Brown N, Light Brown L, Dark Brown L	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01729 TAKATA QUANTUM FB(M)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/10/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
01427 TAKATA QUANTUM FB(R)	Light Brown, Dark Brown, Light Red, Dark Red	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2009/07/24 2025/12/12	Japan ⊻ Others □
01717 TAKATA QUANTUM FB(R)	Ligth Brown N, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2019/02/08	Japan 🗸
	Brown N, Light Brown L, Dark Brown L	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01709 TAKATA QUANTUM FOCUS I	Light Brown, Dark	Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2018/12/07	Japan 🗸
	Brown, Light Red, Dark Red		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
00146 TAKATA QUANTUM for	TUM for Brown, Red, Dark	wn, Light Brown, type1 e, Green, Brown	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗸
COASTAL VESSEL	Brown, Light Brown,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
	S, Dark Brown S					
01662 TAKATA QUANTUM for	Brown, Dark Brown,	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2017/02/24	Japan 🗹
COASTAL VESSEL V	Red, Black, Brown S, Dark Brown S	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/10/26	Others
00145 TAKATA QUANTUM for	Brown, Red, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
FISHING VESSEL	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01855 TAKATA QUANTUM G1000	Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
		type 12	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	f: Registration Expiry	Manufactured in
01856 TAKATA QUANTUM G2000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01857 TAKATA QUANTUM G3000	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2024/06/21	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01815 TAKATA QUANTUM GX-2200N	Brown, Dark Brown	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/02/21	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
00385 TAKATA QUANTUM LLL	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Brown, Dark	rk type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01315 TAKATA QUANTUM LLL FB	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2008/12/15	Japan 🗹
	Brown, Light Red, Dark Red, Brown,	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
	Light					
01818 TAKATA QUANTUM MX-2145N	Light Brown, Dark	ark Self polishing hydrolysis type	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
00143 TAKATA QUANTUM ND	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01819 TAKATA QUANTUM ND	Brown G	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2022/04/18	Japan 🗹
		type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
00402 TAKATA QUANTUM PLUS	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2004/12/22	Japan 🗹
	Brown, Blue, Red, Light Red, Dark Red	type d	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01426 TAKATA QUANTUM PLUS(R)	Light Brown, Dark	Self polishing hydrolysis	1317-39-1	Cuprous oxide	2009/07/24	Japan 🗹
	Brown	type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form. This list was updated as of 2025/06/06

Page 4/ KANSA

Page 4/ KANSAI PAINT MARINE CO., LTD.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No	. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	of: Registration Expiry	Manufactured in
	TAKATA QUANTUM PLUS(R) ADVANCE	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2024/10/18 2027/10/18	Japan ⊻ Others □
01705	TAKATA QUANTUM R5000	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/10/26 2027/06/21	Japan ⊻ Others
01706	TAKATA QUANTUM R8000	Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/10/26 2027/06/21	Japan ⊻ Others □
00400	TAKATA QUANTUM ULTRA	Light Brown, Dark Brown	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2004/12/22 2025/12/12	Japan ⊻ Others □
01669	TAKATA QUANTUM X-mile 000	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2026/06/15	Japan ⊻ Others □
	TAKATA QUANTUM X-mile 000 FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2026/06/15	Japan ⊻ Others □
01491	TAKATA QUANTUM X-mile 001	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2025/12/12	Japan ⊻ Others □
01492	TAKATA QUANTUM X-mile 002	Brick, Maroon, Blue	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2025/12/12	Japan 🗹 Others 🗌
01493	TAKATA QUANTUM X-mile 003	Brick, Maroon, Brick R. Maroon R	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2026/04/20	Japan ⊻ Others □
01494	TAKATA QUANTUM X-mile 005	Brick, Maroon, Brick S, Maroon S	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2026/10/26	Japan ⊻ Others □
01495	TAKATA QUANTUM X-mile 006	Brick, Maroon, Blue, Brick S, Maroon S	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2027/12/17	Japan ⊻ Others □
01496	TAKATA QUANTUM X-mile 007	Brick, Maroon, Brick S, Maroon S	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/06/03 2026/10/26	Japan ⊻ Others □
01708	TAKATA QUANTUM X-mile EV	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/12/07 2027/12/17	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/06/06

Page 5/ KANSAI PAINT MARINE CO., LTD.

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	: Registration Expiry	Manufactured in
01666 TAKATA QUANTUM X-mile FB	Brick, Maroon, Brick R, Maroon R	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2027/06/21	Japan ⊻ Others
01806 TAKATA QUANTUM X-mile MX- 2046N	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/03 2027/06/21	Japan ⊻ Others
01665 TAKATA QUANTUM X-mile ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2017/06/16 2026/06/15	Japan ⊻ Others □
01714 X-mile EV	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2019/02/08 2027/12/17	Japan ⊻ Others □
01715 X-mile EV FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2019/02/08 2027/12/17	Japan ⊻ Others □
01630 X-mile Premium 101	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2028/04/17	Japan ⊻ Others □
01631 X-mile Premium 102	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2028/04/17	Japan ⊻ Others □
01633 X-mile Premium 105	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others □
01634 X-mile Premium 106	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others □
01635 X-mile Premium 107	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others □
01636 X-mile Premium 108	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2016/04/22 2027/12/17	Japan ⊻ Others □
01707 X-mile Premium FB	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2018/10/26 2027/06/21	Japan ⊻ Others □
01804 X-mile Premium ND	Brick, Maroon	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/12/03 2027/06/21	Japan ⊻ Others □

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

This list was updated as of 2025/06/06

Name of Manufacturer: KANSAI PAINT MARINE CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01805 X-mile Premium ND	Brick K, Maroon K	Self polishing hydrolysis type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O	9,S)-	2021/12/03 2027/06/21	Japan ⊻ Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			

Page 7/ KANSAI PAINT MARINE CO., LTD.

Name of Manufacturer: KOBE PAINTS, LTD.

Aza Hyakuchobu, Rokubuichi, Inami-cho Kako-gun, HYOGO

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

45 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01778 AGESHIO	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01777 AQUA ACE 3000 PLUS	White, Black, Blue,	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗸
	Red		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/02/15	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01331 CLEAN A/F 1000	Brown, Red	Conventional type	1317-39-1	Cuprous oxide		2009/04/03 2027/06/21	Japan ⊻ Others □
01503 KP ACE A/F ST 20	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide		2011/10/14	Japan 🗹
	Black		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others
01809 KP ACE A/F ST 7	Red Brown	Conventional type	1317-39-1	Cuprous oxide		2021/12/03 2027/12/17	Japan ⊻ Others □
01332 NEW PLACOAT	Red, Blue, Brown	Conventional type	1317-39-1	Cuprous oxide		2009/04/03 2027/06/21	Japan ⊻ Others □
01569 OCEAN PREMIER 1000	Light Red, Red, Blue	e Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl pyrrole–3–carbonitrile)-1H-	2013/08/22 2025/08/18	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide			
01780 OCEAN PREMIER 1000 PLUS	Purple N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,	,S)-	2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
01781 OCEAN PREMIER 1000 PLUS H	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2021/03/04	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/02/15	Others
01872 OCEAN PREMIER 1000 PLUS Z	Light Red, Red	Self polishing type	13463-41-7	Zinc-2-pyridinethiol-1-oxide		2025/04/18	Japan 🗹
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2028/04/17	Others

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01873 OC	EAN PREMIER 1000 PLUS Z		Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗹
		Brown R		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01779 OC	EAN PREMIER 200 PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗸
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01790 OC	EAN PREMIER 3000	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
01783 OC	EAN PREMIER 3000 PLUS	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/03/04	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01791 OC	EAN PREMIER 3000 PLUS 1	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01792 OC	EAN PREMIER 3000 PLUS 2	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/08/20	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01637 OC	EAN PREMIER 800 Z	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2016/04/22	Japan 🗹
		Red, Light Red N,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others
		Red N, Blue, Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red F	3				
01649 OC	EAN-DYNA NEO	Light Red N2, Red N2	2 Self polishing type	1317-39-1	Cuprous oxide	2016/12/07	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01621 OC	EAN-DYNA NEO 500 Z	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/08/21	Japan 🗹
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufacture in
01870 OCEAN-DYNA NEO CF PREMIUM	Light Red R, Red R	Self polishing type	14915-37-8 86347-14-0	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)- 4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole	2025/04/18 2028/04/17	Japan 🗹 Others
01647 OCEAN-DYNA NEO CF Z	Light Red, Red	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2016/08/26 2025/08/18	Japan ⊻ Others
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01601 OCEAN-DYNA NEO FLAT Z	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/02/20	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others
01808 OCEAN-DYNA NEO M1 PLUS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/12/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01539 OCEAN-DYNA NEO SL	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2012/12/10	Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
01871 OCEAN-DYNA NEO SL M	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2025/04/18	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others
01599 OCEAN-DYNA NEO SL Z	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2015/02/20	Japan 🗹
	Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
01650 OCEAN-DYNA NEO Z	Light Red N2, Red N2	Self polishing type	1317-39-1	Cuprous oxide	2016/12/07	Japan 🗸
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others
01807 OCEAN-DYNA NEO Z PLUS	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2021/12/03	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01566 OCEAN-DYNA NEO-S	Light Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2013/08/22	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/18	Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration	on Manufactured in
01869 OCEAN-DYNA NEO-S	Brown D	Self polishing type	1317-39-1	Cuprous oxide	2025/04/	18 Japan 🗹
PREMIUM			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/	17 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01602 OCEAN-DYNA NEO-S Z	Light Red, Red, Red	Self polishing type	1317-39-1	Cuprous oxide	2015/02/2	
	N, Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/	15 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01461 OYASHIO	Red	Self polishing type	1317-39-1	Cuprous oxide	2010/06/0	•
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/	17 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01459 SOKOPEN	Red, Blue	Self polishing type	1317-39-1	Cuprous oxide	2010/06/0	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/	17 Others
01490 SUPER A/F 1000L	Light Brown, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2011/06/0	
	Dark Brown, Light Brown H, Brown H		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/	15 Others
01337 SUPER A/F 200 R	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/0	
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/2	21 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01638 SUPER A/F 2000 A	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide	2016/04/2	
	Red, Light Red N,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/08/	18 Others
	Red N, Blue, Black (1st coat), Black (2nd coat), Light Red H, Red H, Blue H, Light Brown H, Light Brown R, Red R					
01340 SUPER A/F 2000 S	Red, Light Red	Self polishing type	1317-39-1	Cuprous oxide	2009/04/0	• ap a
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/2	21 Others
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: KOBE PAINTS, LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

		•							
Reg.No. N	lame of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Da	ates of:	Registration Expiry	Manufac in	
01793 SUF	PER A/F 2200	Light Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		2021/08/20	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2027/08/23	Others	
01452 SUF	PER A/F 500 HS	Purple, Light Red,	Self polishing type	1317-39-1	Cuprous oxide		2010/08/06	Japan	✓
		Red, Light Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2026/10/26	Others	
01453 SUF	PER A/F 500 M HS	Light Red, Red, Ligh	t Self polishing type	1317-39-1	Cuprous oxide		2010/08/06	Japan	✓
		Red N, Red N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	—	2026/10/26	Others	
01439 SUF	PER A/F 660 HS	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide		2009/11/20	Japan	✓
		Brown S, Light Brow	'n	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2025/08/18	Others	
		S, Brown R, Light Brown R							
01721 SUF	PER A/F 880 HS	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2019/04/19	Japan	✓
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others	
01874 SUF	PER A/F 880 HS PLUS	Light Brown, Brown,		1317-39-1	Cuprous oxide		2025/04/18	Japan	✓
		Light Brown A, Brow	'n	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2028/04/17	Others	
		~		86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
01823 SUF	PER A/F 950 L	Light Brown, Brown	Self polishing type	1317-39-1	Cuprous oxide		2022/08/19	Japan	✓
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2025/08/18	Others	
01810 SUF	PER A/F CF-10 L A	Light Red N, Red N	Self polishing type	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)	-	2021/12/03	Japan	✓
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		2027/12/17	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: NIPPON PAINT (COATINGS) PHILIPPINES, INC.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

#4 Hologram St, Light Industry Science Park, Cabuyao, Laguna, Philippines

2 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01839 BIOFLEX 800	RED BROWN (PH) D, GREEEN (PH) D	Controlled Depletion Polymer Type	1317-39-1	Cuprous oxide		2023/12/15 2027/12/17	Japan □ Others ☑
	,/		330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea			
01840 ECOLOFLEX SPC200	LIGHT BROWN (PH)	Self polishing type	1317-39-1	Cuprous oxide		2023/12/15	Japan Others ☑
	K, DARK BROWN (PH) K		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O	,S)-	2026/12/14	Others 🗹

Page 1/ NIPPON PAINT (COATINGS) PHILIPPINES, INC.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

2-1-2 Oyodo-kita, Kita-ku, Osaka-shi, OSAKA

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

products registered as of 2025/06/06 64

Reg.No. Name of anti-fouling system	Colour(s)	Гуре of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01605 A-LF-Sea 100 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01820 A-LF-Sea 100 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2022/04/18 2028/04/17	Japan ⊻ Others □
01532 A-LF-Sea 150	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK, Deep Red, Purple	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2025/10/20	Japan ⊻ Others ⊻
01533 A-LF-Sea 250	Red Brown, Brown, Light Brown, Brown SK, Light Brown SK, Brown EK, Light Brown EK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2025/10/20	Japan ⊻ Others ⊻
01606 A-LF-Sea 300 HS	Blue R, Brown R, Light Brown R, Brown E, Light Brow E, Red IM, Maroon Z		122454-29-9 13463-41-7	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile Zinc-2-pyridinethiol-1-oxide	2015/04/17 2025/10/20	Japan ⊻ Others □
01731 A-LF-Sea 300 HS	Oriental Blue, Carmine Red	Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2019/12/17 2026/06/15	Japan ⊻ Others □
01553 A-LF-Sea 400	Brown, Red Brown, Light Brown	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2013/04/12 2027/10/18	Japan ⊻ Others ⊻
01534 A-LF-Sea 600	Brown, Red Brown, Light Brown, Blue, Brown E, Light Brow E, Brown EK, Light Brown EK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2012/10/12 2027/06/21	Japan ⊻ Others ⊻

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/06/06

*Product name case is typed as on the application form.

Page 1/ NIPPON PAINT MARINE COATINGS CO., LTD.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufacture in
01648 A-LF-Sea 600	Cocoa Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide		2016/10/14	Japan 🗌
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,	S)-	2027/02/15	Others 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01797 A-LF-Sea 600 Premium	Brown 1, Brown 2,	Self polishing type	1317-39-1	Cuprous oxide		2021/10/15	Japan 🗹
	Brown 3, Light Brown 1, Light Brown 2, Light Brown 3, Dark		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,	S)-	2026/12/14	Others 🗀
	Brown 1, Dark Brown 2, Dark Brown 3						
01852 A-LF-Sea 600 Premium L	Brown1, Dark Brown1	Self polishing type	1317-39-1	Cuprous oxide		2024/08/23	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,	S)-	2027/08/23	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01653 AQUATERRAS 1000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan 🗹
	Blue	polishing type				2026/06/15	Others
01837 AQUATERRAS 1000 PLUS	Brown, Light Brown	Biocide-free self	-	-		2023/06/16	Japan 🗹
		polishing type				2026/06/15	Others
01654 AQUATERRAS 2000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan 🗹
	Blue, Black	polishing type				2027/06/21	Others
01848 AQUATERRAS 3100	Brown, Light Brown	Biocide-free self	-	-		2024/02/16	Japan 🗸
		polishing type				2027/02/15	Others
01655 AQUATERRAS 6000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan 🗹
	Blue, Black	polishing type				2027/10/18	Others
01656 AQUATERRAS 8000	Brown, Light Brown,	Biocide-free self				2016/12/07	Japan 🗹
	Blue, Black	polishing type				2027/06/21	Others
01466 BIOFLEX 800	Brown C, Dark Brown	Controlled depletion	1317-39-1	Cuprous oxide		2010/08/06	Japan 🗹
	C, Red Brown C, Red Brown D, Dark Brown	polymer type	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2025/10/20	Others 🗹
	D, Brown D						

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01568 BIOFLEX A/F	Red Oxide	Conventional type	1317-39-1	Cuprous oxide	2013/08/22 2027/02/15	Japan ⊻ Others □
00252 BIOFLEX TECHNO	Red Brown	Ablative type	1317-39-1 13463-41-7 330-54-1	Cuprous oxide Zinc-2-pyridinethiol-1-oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2004/03/18 2025/10/20	Japan ⊻ Others □
01676 DRAFT A/F Super	White, Black	Self polishing type	122454-29-9 13463-41-7	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile Zinc–2–pyridinethiol–1–oxide	2017/08/25 2027/02/15	Japan ⊻ Others □
01325 ECOLOFLEX SPC 100FWR	Red Brown, Dark Brown, Brown C, Light Brown C	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/11/27 2025/10/20	Japan ⊻ Others ⊻
01249 ECOLOFLEX SPC 150HyB	Brown C, Light Brown C, Brown B, Light Brown B, Brown SK, Light Brown SK	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2008/01/30 2028/06/05	Japan ⊻ Others ⊻
01798 ECOLOFLEX SPC 600 HyB Premium	Brown 1, Brown 2, Brown 3, Light Brown 1, Light Brown 2, Light Brown 3, Dark Brown 1, Dark Brown 2, Dark Brown 3	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2021/10/15 2026/12/14	Japan ⊻ Others □
01485 ECOLOFLEX SPC200	Light Brown K, Dark Brown K, Brown Z, Light Brown Z, Light Brown LF, Brown LF, Black Z, Dark Brown Z	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2011/03/24 2028/04/17	Japan ⊻ Others ⊻
01102 ECOLOFLEX SPC250 HyB	CherryV, PlumV, Cherry SK, Plum SK, Cherry EK, Plum EK, Blue M	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2006/03/10 2025/10/20	Japan ⊻ Others ⊻

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

*Product name case is typed as on the application form.

Page 3/ NIPPON PAINT MARINE COATINGS CO., LTD.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Date	s of: Re	egistration Expiry	Manufac in	1
00370 E	COLOFLEX SPC600	Dark Brown, Red	Self polishing type	1317-39-1	Cuprous oxide		04/11/19	Japan	
		Brown, Cherry V, Plum V, Blue, Blue V,		13463-41-7	Zinc-2-pyridinethiol-1-oxide	20	25/10/20	Others	
		Green							
01476 E	COLOFLEX SPC600	Cherry S, Red Brown	Self polishing type	1317-39-1	Cuprous oxide		10/10/01	Japan	
		S, Light Brown S		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	20	28/06/05	Others	
)0371 E	COLOFLEX SPC600 HyB	Cherry F, Plum F,	Self polishing type	1317-39-1	Cuprous oxide		04/11/19	Japan	✓
		Red, Black, Green, Brown V, Black F		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	20	28/06/05	Others	\checkmark
		DIOWILV, DIACK F						1	
01657 E	COLOFLEX SPC600 HyB	Cocoa Brown	Self polishing type	1317-39-1	Cuprous oxide		17/02/24 25/10/20	Japan Others	
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	20.	23/10/20	Others	
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one				
01853 E	COLOFLEX SPC600 HyB	Brown1, Dark Brown1	Self polishing type	1317-39-1	Cuprous oxide		24/08/23	Japan	✓
Pi	remium L			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato 0,S)-	20	27/08/23	Others	
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole				
00243 F	COLOFLEX SPC700	Cherry V, Plum V	Self polishing type	1317-39-1	Cuprous oxide	20	04/03/18	Japan	✓
00210 2			een penening type	13463-41-7	Zinc-2-pyridinethiol-1-oxide	20	25/10/20	Others	
			Disside free allies as the	10400 41 7		20	04/10/26	Japan	✓
00363 E	COLOSILK	Gray, White, Red, Black, Green, Signal	Biocide-free silicone type	-	-			Others	
		Red, Blue							
01681 E	COLOSILK AXEL	MARIGOLD	Biocide-free silicone type				17/12/04	Japan	✓
						20	27/06/21	Others	\checkmark
01845 F/	ASTAR 600 H	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	20	23/12/15	Japan	✓
		Dark Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	20	27/02/15	Others	\checkmark
01846 F/	ASTAR 600 M	Brown, Light Brown,	Self polishing type	1317-39-1	Cuprous oxide	202	23/12/15	Japan	✓
		Dark Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	20	27/02/15	Others	✓
01737 F/	ASTAR I	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	20	20/02/21	Japan	✓
		Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	20	27/02/15	Others	\checkmark

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

This list was updated as of 2025/06/06

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration	Manufactured
01738 FASTAR II	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	• Expiry 2020/02/21	in Japan ⊻
UT750 FASTAR II	Brown	Sell polishing type	1317-39-1	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others V
		<u> </u>			2020/02/21	Japan 🗸
01739 FASTAR XI	Red Brown, Dark Brown	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21 2027/02/15	
	Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-		
01740 FASTAR XII	Red Brown, Dark	Self polishing type	1317-39-1	Cuprous oxide	2020/02/21	Japan 🗹
	Brown, Red Brown N, Dark Brown N		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/06/21	Others 🗹
01718 FUNEBIJIN MAX	Red, Blue	Self polishing type	1317-39-1	Cuprous oxide	2019/04/19	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01609 HISOL 100	Brown F, Blue F, Light Brown R	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01610 HISOL 300	Brown F, Light Brown R, Brown R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01800 HISOL FISHING BOAT	Neo Black, Neo Red	Self polishing type	1111-67-7	Cuprous Thiocyanate	2022/04/18	Japan 🗸
	Neo Blue		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/02/21	Others
01326 JYUNPU	Red, Black, Blue	Self polishing type	1317-39-1	Cuprous oxide	2008/11/27	Japan 🗸
	, ,	1 3 71	330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others
01608 LF-Sea 100 HS	Brown R, Light Brown R, Blue R,	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
	Brown E, Light Brown		13463-41-7	Zinc-2-pyridinethiol-1-oxide		
	E					
01250 LF-Sea 150 HyB	Brown, light Brown,	Self polishing type	1317-39-1	Cuprous oxide	2008/01/30	Japan 🗹
	Brown K, Light Brown K, Brown SK, Light	n	14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others 🗹
	Brown SK, B Brown SK, B light Brown SK, B Brown, B Light Brown					

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized.

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates o	f: Registration Expiry	Manufactured in
01228 LF-Sea 250 HyB	Cherry, Plum, Cherry	Self polishing type	1317-39-1	Cuprous oxide	2007/07/26	Japan 🗹
	SK, Plum SK		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/02/15	Others 🗹
01607 LF-Sea 300 HS	Brown R, Light Brown R, Blue R	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2015/04/17 2027/02/15	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01244 LF-Sea 400 HyB	Cherry, Plum, Brown,	Self polishing type	1317-39-1	Cuprous oxide	2007/12/10	Japan 🗹
	Light Brown		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/10/18	Others 🗹
01226 LF-Sea 600 HyB	Cherry, Plum, Cherry	Self polishing type	1317-39-1	Cuprous oxide	2007/07/26	Japan 🗹
	D, Plum D, Blue D, Red, Blue, Cherry G,		14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others 🗹
	Plum G, Cherry J, Plum J					
01803 MARIART X NEO	Black, Gray, White	Self polishing type	1111-67-7	Cuprous Thiocyanate	2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/10/18	Others
01802 MASSIVE NEO	Red, Black, White,	Self polishing type	1111-67-7	Cuprous Thiocyanate	2021/12/03	Japan 🗹
	Gray		64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2028/04/17	Others
00246 NIPPE STRONG 7000	Cherry	Self polishing type	1317-39-1	Cuprous oxide	2004/03/18	Japan 🗹
			13463-41-7	Zinc-2-pyridinethiol-1-oxide	2027/06/21	Others
01854 OUTFITTING A/F Premium	Brown	Self polishing type	1317-39-1	Cuprous oxide	2024/08/23	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/08/23	Others
			86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole		
01677 SEACHEST GUARD	Red	Self polishing type	1317-39-1	Cuprous oxide	2017/08/25	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2026/06/15	Others
01642 SILYL A/F PAINT FOR SHIP'S	Black	Self polishing type	1317-39-1	Cuprous oxide	2016/06/17	Japan 🗹
BOOTTOP			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others
01641 SILYL A/F PAINT FOR SHIP'S	Red	Self polishing type	1317-39-1	Cuprous oxide	2016/06/17	Japan 🗹
BOTTOM			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2027/12/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/06/06

Name of Manufacturer: NIPPON PAINT MARINE COATINGS CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s) Ty	pe of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufactured in
01014 UNAGI TORYO ICHIBAN	Blue, Red, Retro Red	Self polishing type	1317-39-1	Cuprous oxide	2005/06/30	Japan 🗹
			13463-41-7	Zinc-2-pyridinethiol-1-oxide	2027/10/18	Others
01799 UNAGI TORYO ICHIBAN	Neo Black	Self polishing type	1111-67-7	Cuprous Thiocyanate	2021/12/03	Japan 🗹
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/10/18	Others
01801 UNAGI TORYO ICHIBAN	Blue, Red, White	Self polishing type	1111-67-7	Cuprous Thiocyanate	2021/12/03	Japan 🗹
AZAYAKA NEO			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2027/10/18	Others
01758 UNAGI TORYO ICHIBAN AZAYAKA RAINBOW	G-1, B-1, N-1, Y-1, Y- 2, P-1, P-2, P-3, V-1, W-1	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2021/03/04 2028/04/17	Japan ⊻ Others □
			13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01555 UNAGI TORYO ICHIBAN AZAYAKA SUPER	Black, Red, Blue, White, Beetle Black, Venus White, Beetle	Self polishing type	122454-29-9	4-Bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)-1H- pyrrole-3-carbonitrile	2013/06/18 2027/12/17	Japan ⊻ Others ⊻
			13463-41-7	Zinc-2-pyridinethiol-1-oxide	*Under continuatio	n application.
	Gray, K-line Gray, Light Green					
01570 UNAGI TORYO ICHIBAN LF-Sea	Blue, Red	Self polishing type	1317-39-1	Cuprous oxide	2013/10/11	Japan 🗹
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2028/04/17	Others

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

8F, Shintetsu Bldg., 1-1-1 Daikaidori, Hyogo-ku, Kobe-shi, HYOGO

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

22 products registered as of 2025/06/06

Reg.No.	Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates	of: Registration Expiry	Manufact in	
00083 Crown Color Sentei Toryou YS Musuzu	Red, Red Brown	Ablative type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2004/03/18	•		
			1317-39-1	Cuprous oxide	2027/12/17	Others		
00081 Crown Super 243	Red, Black	Self polishing type	1317-39-1	Cuprous oxide	2004/03/18	Japan		
				330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others	
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01868 PPG Nexeon 810	Brown Redbrown	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2025/02/21 2028/02/21	Japan Others	✓	
				13463-41-7	Zinc-2-pyridinethiol-1-oxide			
				86347-14-0	4-[1-(2,3-dimethylphenyl)ethyl]-1H-imidazole			
01114 S	Sigma Alphagen 650	Redbrown, Brown	Self polishing type	1317-39-1	Cuprous oxide	2006/04/25	Japan	
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2025/12/12	Others	✓
01025 Sigma Boatmax	Blue	Self polishing type	1317-39-1	Cuprous oxide	2005/09/01	Japan	✓	
				330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others	
01026 S	Sigma Boatmax	Red, Black	Self polishing type	1317-39-1	Cuprous oxide	2005/09/01	Japan	✓
				330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2026/06/15	Others	
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01727 S	igma EcoFleet 270	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2019/08/09 2028/06/05	Japan Others	
01513 9	Sigma EcoFleet 290S	Brown. Red Brown	Self-polishing type	12122-67-7	7:	2011/12/07	Japan	
01515 3	Sigilia Ecorieet 2905	DIOWII, Red DIOWII	Sen-poilsning type		Zinc ethylenebis (dithiocarbamate)	2026/10/26		\checkmark
00068 Sigma EcoFleet 530			1317-39-1	Cuprous oxide	2004/06/21	lanan		
	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2004/06/21 2025/10/20	Japan Others		
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		Culois	
01257 Sigma KAISEN M	Sigma KAISEN M	New Red, New Blue	e Self polishing type	64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one	2008/04/03	Japan	
				971-66-4	Pyridine-triphenylborane	2025/12/12	Others	

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. This list was updated as of 2025/06/06

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No.	Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC) Dates of	Registration Expiry	Manufactured in
01558 Si	gma Nexeon 710	Brown, Red Brown	Self polishing type	122454-29-9	4–Bromo–2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2013/10/11 2028/06/05	Japan □ Others ☑
				13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01559 Sigma Nexeon 750	Brown, Red Brown, Light Grey	Self polishing type	122454-29-9	4–Bromo-2–(4–chlorophenyl)–5–(trifluoromethyl)–1H– pyrrole–3–carbonitrile	2013/08/22 2028/06/05	Japan □ Others ☑	
				13463-41-7	Zinc-2-pyridinethiol-1-oxide		
01829 Si	gma Sailadvance DX (II)	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2022/12/13	Japan
				14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/12/12	Others 🗹
01697 Si	gma Sailadvance GX	Brown, Red Brown	Self polishing type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2018/02/16	Japan
				1317-39-1	Cuprous oxide	2025/10/20	Others 🗹
01826 Si	gma Sailadvance NX	Brown, Red Brown	Self polishing type	1317-39-1	Cuprous oxide	2022/10/21	Japan 🗌
			14915-37-8	Copper, bis(1,hydroxy-2(1H)-pyridinethionato O,S)-	2025/10/20	Others 🗹	
			64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one			
01663 Sigma Sailadvance RX	Brown, Red Brown	Self polishing type	12122-67-7	Zinc ethylenebis (dithiocarbamate)	2017/02/24	Japan	
				1317-39-1	Cuprous oxide	2025/10/20	Others 🗹
00076 Si	gma TAIKAI	Red	Self polishing type	1317-39-1	Cuprous oxide	2004/06/21	Japan 🗹
				330-54-1	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea	2027/12/17	Others
				64359-81-5	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		
01747 Si	gmaglide 1290	Redbrown, Dark Blue, Black	Biocide-free silicone type			2020/07/29 2026/06/15	Japan Others ☑
01841 Si	gmaglide 2390	Redbrown, blue, black, grey, white	Biocide-free silicone type			2023/10/27 2026/10/26	Japan Others ✔
00453 Si	gmaglide 890	Clear, Redbrown, Blue, Black, Red	Biocide-free silicone type	-	-	2005/02/17 2025/10/20	Japan Others ✔
01510 Si	gmaglide 990	Dark Red, Dark Blue	e Biocide-free silicone type	-	-	2011/12/07 2026/10/26	Japan Dthers

[NOTE] Registered products are recognised to be compliant with IMO "International Convention on the Control of Harmful Anti-fouling Systems on Ships". Other properties of registered products, such as Anti-fouling performance or safety properties, are not recognized. *Product name case is typed as on the application form.

Page 2/ PPG PMC JAPAN CO., LTD.

Name of Manufacturer: PPG PMC JAPAN CO., LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

Reg.No. Name of anti-fouling system	Colour(s)	Type of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01842 Sigmarine 530	Redbrown, Brown, Black, Blue, Spruce Green		1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2023/10/27 2026/10/26	Japan Others

Name of Manufacturer: PT. Nipsea Paint and Chemicals

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

JI Ancol Barat I/A5/C No. 12, Jakarta 14430, Indonesia

2 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s) T	ype of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01850 BIOFLEX 800	Red Brown (IDN) D, Dark Brown (IDN) D, Brown (IDN) D	Controlled Depletion Polymer	1317-39-1 330-54-1	Cuprous oxide 3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea		2024/02/16 2027/02/15	Japan
01849 ECOLOFLEX SPC200	Light Brown (IDN) K, Dark Brown (IDN) K	Self polishing type	1317-39-1 14915-37-8	Cuprous oxide Copper, bis(1,hydroxy-2(1H)-pyridinethionato C),S)-	2024/02/16 2027/02/15	Japan Others ☑

Name of Manufacturer: WAKO CO.,LTD.

*Continuation process must be taken every 3 years for each system. *Registered Sytems Listed in alphabetical Order.

2-1-13 Honkawa-cho, Naka-ku, Hiroshima-shi, HIROSHIMA

5 products registered as of 2025/06/06

Reg.No. Name of anti-fouling system	Colour(s) Ty	/pe of anti-fouling system	CAS No.	Chemical name (IUPAC)	Dates of:	Registration Expiry	Manufactured in
01525 ECO AF-E	Red, Light Red, Brown Red	Effluent Control Antifouling Paint	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2012/08/03 2027/06/21	Japan □ Others ✔
01639 ECO AF-K	Blue 1	Effluent Control	1317-39-1	Cuprous oxide		2016/04/22 Japar	Japan Others ☑
		Antifouling Paint	330-54-1 64359-81-5	3-(3,4-Dichlorophenyl)-1, 1-dimethyl urea 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2027/12/17	
01524 ECO AF-S	Light Red, Brown Rec	Effluent Control Antifouling Paint	1317-39-1 64359-81-5	Cuprous oxide 4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one		2012/08/03 2027/06/21	Japan Others ☑
01528 ECO AF-Z	Red	Effluent Control Antifouling Paint	330-54-1 971-66-4	3−(3,4−Dichlorophenyl)−1, 1−dimethyl urea Pyridine−triphenylborane		2012/06/01 2027/06/21	Japan Others ☑
01529 ECO AF-Z	Blue	Effluent Control Antifouling Paint	330-54-1 971-66-4	3−(3,4−Dichlorophenyl)−1, 1−dimethyl urea Pyridine−triphenylborane		2012/06/01 2027/06/21	Japan Others ☑